

Wednesday, 8:30 - 9:00

■ **WA-01**

Wednesday, 8:30 - 9:00 - Fermat

Opening

Stream: Plenary

Plenary session

Wednesday, 9:00 - 10:00

■ **WB-01**

Wednesday, 9:00 - 10:00 - Fermat

Plenary - Martine LABBE

Stream: Plenary

Plenary session

Chair: *Sonia Cafieri*

1 - Linear bilevel optimization: overview and recent results

Martine Labbé

A bilevel optimization problem consists in an optimization problem in which some of the constraints specify that a subset of variables must be an optimal solution to another optimization problem. This paradigm is particularly appropriate to model competition between agents, a leader and a follower, acting sequentially. In this talk I will focus on the simplest bilevel problems, those that are linear. I will present the main characteristics, properties and algorithms for these problems. Then, I will discuss some recent results showing that these problems are already extremely challenging. This is a joint work with Thomas Kleinert, Martin Schmidt and Frank Plein.

Wednesday, 10:15 - 11:30

■ WC-01

Wednesday, 10:15 - 11:30 - Fermat

Analysis of Non Linear Algorithms I

Stream: Analysis of Non Linear algorithms

Contributed session

Chair: Tobias Seidel

1 - Duality and penalty function methods for a nonlinear programming problem

Andrei Dan Halanay, Miruna Beldiman

We introduce a multiobjective nonlinear programming problem defined on a product of sigma-algebras. First, using a partitioning scheme we propose a dual model for our problem and obtain duality results under different generalized univexity hypothesis. Then, considering a pseudometric corresponding to this context we study two resolution methods using an exponential penalty function and then a logarithmic one. We prove the convergence for these methods, closing with some examples.

2 - New Results on Superlinear Convergence of Classical Quasi-Newton Methods

Anton Rodomanov, Yurii Nesterov

We present a new theoretical analysis of local superlinear convergence of classical quasi-Newton methods from the convex Broyden class. As a result, we obtain a significant improvement in the currently known estimates of the convergence rates for these methods. In particular, we show that the corresponding rate of the Broyden-Fletcher-Goldfarb-Shanno (BFGS) method depends only on the product of the dimensionality of the problem and the logarithm of its condition number.

3 - Calculating local and global minima with quADAPT

Tobias Seidel, Karl-Heinz Kuefer

A classical solution approach to semi-infinite optimization is based on discretizing the semi-infinite index set. To reduce the number of discretization points, they can be chosen adaptively. Recently a new adaptive discretization method (quADAPT) has been introduced, which guarantees a quadratic convergence of the iterates under mild regularity assumptions. In this talk we establish conditions under which a limit point is a local minimum. We show that no such result is possible in the case of global minima. Finally, we introduce modifications to the algorithm that make a statement possible.

■ WC-02

Wednesday, 10:15 - 11:30 - Turing

Advances in mathematical optimization for machine learning and data analysis - Part I

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Le Thi Khanh Hien

1 - An adaptive subsampled Hessian-free optimization method for statistical learning.

Jeremy Rieussec, Fabian Bastin, Jean Laprés-Chartrand, Loïc Shi-Garrier

We consider nonconvex statistical learning problems and propose a variable sample-path method, where the sample size is dynamically updated to ensure a decrease in the true objective function with high probability. We integrate this strategy in a subsampled Hessian-free trust-region method with truncated conjugate gradient, relying on outer product approximations. The approach is compared to various adaptive sample approximation algorithms and stochastic approximation methods popular in machine learning. The efficiency of the approach is illustrated on various large size datasets.

2 - An Inertial Newton Algorithm for Deep Learning

Camille Castera, Jerome Bolte, Cédric Févotte, Edouard Pauwels

We introduce a new second-order inertial optimization method for machine learning. It exploits the geometry of the loss function while only requiring stochastic approximations of the function values and the generalized gradients. The algorithm combines both gradient-descent and Newton-like behaviors as well as inertia. We prove the convergence of the algorithm for most deep learning problems using tame optimization and dynamical systems theory. Additionally we discuss and address the existence of spurious stationary points when using mini-batch methods for non-smooth problems.

3 - An Inertial Block Majorization Minimization Framework for Nonsmooth Nonconvex Optimization

Le Thi Khanh Hien, Duy Nhat Phan, Nicolas Gillis

We introduce TITAN, an inertial block majorization minimization framework for nonsmooth nonconvex optimization problems. TITAN is a block coordinate method that embeds inertial force to each majorization-minimization step of the block updates. The inertial force is obtained via an extrapolation operator that subsumes heavy-ball and Nesterov-type accelerations for block proximal gradient methods as special cases. We study sub-sequential convergence as well as global convergence for the generated sequence of TITAN. We illustrate the effectiveness of TITAN on the matrix completion problem.

■ WC-03

Wednesday, 10:15 - 11:30 - Nash

Derivative-Free Optimization I

Stream: Derivative-Free Optimization

Invited session

Chair: *Massimo Roma*

1 - Regret Bounds for Noise-Free Bayesian Optimization

Sattar Vakili

Bayesian optimisation is a powerful method for non-convex black-box optimization in low data regimes. However, the question of establishing tight performance bounds for common algorithms in the noiseless setting remains a largely open question. We establish new and tightest bounds for two algorithms, namely GP-UCB and Thompson sampling, under the assumption that the objective function is smooth in terms of having a bounded norm in a Matérn RKHS. Furthermore, we do not assume perfect knowledge of the kernel of the Gaussian process emulator used within the Bayesian Optimization loop.

2 - On some Bayesian optimization recipes applied to mono-multi-fidelity constrained black box problems

Nathalie Bartoli, Thierry Lefebvre, Youssef Diouane, Sylvain Dubreuil, Joseph Morlier

This work aims at developing new methodologies to optimise computationally costly complex systems (e.g., aeronautical engineering systems). The proposed surrogate-based method (often called Bayesian Optimization) uses adaptive sampling to promote a trade-off between exploration and exploitation. Our in-house implementation, called SEGOMOE, handles a high number of design variables and nonlinearities by combining mixtures of experts (local surrogate models) for the objective and/or the constraints. An extension to multi-fidelity is also included when a variety of information is available.

3 - On the use of Derivative-Free Optimization in design Discrete Event Simulation models for Emergency Departments

Massimo Roma, Alberto De Santis, Tommaso Giovannelli, Stefano Lucidi, Mauro Messedaglia

The most widely used tool for studying patient flow through an Emergency Department (ED) is Discrete Event Simulation (DES). However, to achieve high reliability of such a DES model, an accurate calibration procedure is firstly required in order to determine a good estimate of the model input parameters. In this work we propose a Simulation-Optimization approach integrating DES models with a Derivative-Free Optimization method in order to determine the best values of model input parameters. The approach we propose, has been widely experimented on a large ED in Rome.

■ WC-04

Wednesday, 10:15 - 11:30 - Lagrange

Optimisation in Aerospace Engineering

Stream: Optimisation in Aerospace Engineering

Invited session

Chair: *Edmondo Minisci*

1 - Minimum-fuel Low-thrust Earth-Moon Transfers in the Sun-Earth-Moon System

Richard Epenoy

In this work, a minimum-fuel optimal control problem will be stated subject to the dynamics of the Sun-Earth-Moon Bicircular Restricted Four-Body Problem. To overcome the huge sensitivity of the problem, a massive derivative-free exploration will be used to find the zeros of the associated shooting function. Different families of medium-duration transfers will be identified so as long-duration trajectories exploiting the counterparts of invariant manifolds defined in both Sun-Earth and Earth-Moon Circular Restricted Three-Body Problems leading to so-called low-energy transfers.

2 - Analysis of Nature Inspired Methods for Interplanetary Trajectory Problems

Edmondo Minisci, Gabriela Ochoa

Many nature inspired optimisers have been used in the past decades to solve interplanetary trajectory problems. These problems are thought to have funnel or multi funnel objective function landscapes, but only few relevant works have tried to properly characterise the landscape and, more importantly, link the shape of the objective functions with the performance of the metaheuristics and heuristics. To contribute to this research area, a Local Optima Networks will be used to analyse, visualise and compare the behaviour of different types of solvers.

3 - Interoperating direct and indirect solvers in optimal control

Olivier Cots, Jean-Baptiste Caillau, Pierre Martinon

Methods for solving optimal control problems fall into two main categories. Indirect methods based on Pontryagin Principle are fast and accurate but require more work, in terms of mathematical analysis and a priori knowledge of structure of the solution, than direct transcription approaches that offer a good tradeoff between robustness and accuracy. For challenging problems, one may start with a direct method to find a rough solution, then refine it through an indirect method. We discuss this combined approach on applications and the interfacing between two solvers: Bocop and HamPath.

■ WC-05

Wednesday, 10:15 - 11:30 - Pontryagin

Variational Methods in Vector and Set Optimization

Stream: Multiobjective Optimization

Invited session

Chair: *César Gutiérrez*

Chair: *Gabriele Eichfelder*

1 - Stability of set optimization problems*Ruben Lopez, Elvira Hernández*

We study the stability of set optimization problems when the data (feasible sets and objective maps) admit variations. The data vary by means of a variational convergence notion for set-valued maps.

2 - A Vectorization Scheme for Nonconvex Set Optimization Problems*Stefan Rocktäschel, Gabriele Eichfelder, Ernest Quintana*

In this talk, we examine a solution approach for set-valued optimization problems with respect to the lower less relation. Thereby, we formulate a parametric vector optimization problem whose solution set approximates, in a specific sense, that of the set-valued optimization problem with arbitrary accuracy. We also investigate particular classes of set-valued mappings for which the corresponding set optimization problem is equivalent to the vector optimization problem. Surprisingly, set-valued mappings with a convex graph are one of the classes for which this equivalence holds.

3 - Ekeland variational principles in vector equilibrium problems*César Gutiérrez*

The talk addresses Ekeland variational principles for vector bifunctions defined on complete metric spaces. Several versions of that result are stated via a scalarization approach and new lower semicontinuity and lower boundedness assumptions. As a result, some recent Ekeland variational principles of the literature are improved since weaker hypotheses are assumed.

■ WC-06*Wednesday, 10:15 - 11:30 - Moreau***Applications of Optimization I**

Stream: Applications of Optimization

*Contributed session*Chair: *Michal Kocvara***1 - Topological optimization of porous architectural materials using a multiphysics homogenization method***Godfred Agyekum Oheneba, Laurent Cangemi, François Jouve*

We will present a topological optimization method based on a homogenized formulation of poroelastic type, of a fluid mass transfer problem within a material with periodically controlled microstructure. The optimization consists in minimizing an energy-type objective function, whose physical properties are correlated with a density of matter and with a microstructure at any point of the domain. Examples of optimized design results will be presented.

2 - A Primal-Dual Augmented Lagrangian Algorithm for SDPs in truss topology design*Arefeh Kavand*

In this talk, we focus on the augmented Lagrangian framework based on the PENNON algorithm. We suggest a primal-dual approach with a number of useful modifications, for solving large SDP problems with low-rank solutions. For this, we rephrase Newton systems in the PENNON algorithm by primal-dual systems which are then solved approximately by the preconditioned conjugate gradient method using newly designed preconditioners. The efficiency of the algorithm is demonstrated by numerical experiments for truss topology optimization problems with growing dimension.

3 - An Interior-Point Method for Low-Rank Semidefinite Programming with Application to Truss Topology Design*Soodeh Habibi, Michal Kocvara*

General algorithms and software for semidefinite optimization are unsuitable to solve very large dimensional problems. In this talk, we focus on SDP problems with low-rank solutions. Within a standard framework of an interior-point method, we solve the linear systems by a preconditioned conjugate gradient method. We present a new preconditioner tailored to the low-rank structure of the solution. We solve large to very large-scale SDP problems from structural optimization with either rank-one or approximate low-rank solutions. In both cases, our Matlab code outperforms available SDP software.

Wednesday, 11:45 - 13:00

■ WD-01

Wednesday, 11:45 - 13:00 - Fermat

Analysis of Non Linear Algorithms II

Stream: Analysis of Non Linear algorithms

Contributed session

Chair: Vladimir Shikhman

1 - An Interior Point-Proximal Method of Multipliers for Convex Programming

Spyridon Pougkakiotis, Jacek Gondzio

In this talk, we present an infeasible Interior Point Method (IPM) combined with the Proximal Method of Multipliers (PMM). The resulting algorithm (IP-PMM) is interpreted as a primal-dual regularized IPM, suitable for solving convex programming problems. Given this framework, we prove polynomial complexity of the algorithm for a wide class of problems, under standard assumptions. We derive a robust tuning for the penalty parameters as well as an ill-posedness detection mechanism. The method is implemented and its reliability is demonstrated through extensive experimentation.

2 - Topological approach to mathematical programs with switching constraints

Vladimir Shikhman

We study mathematical programs with switching constraints (MPSC) from the topological perspective. Two basic theorems from Morse theory are proved. Outside the W -stationary point set, continuous deformation of lower level sets can be performed. However, when passing a W -stationary level, the topology of the lower level set changes via the attachment of a w -dimensional cell. The dimension w depends on both the number of negative eigenvalues of the restricted Lagrangian's Hessian and the number of bi-active switching constraints.

3 - Local convergence of tensor methods

Nikita Doikov, Yuri Nesterov

In this talk, we study local convergence of high-order Tensor Methods for solving convex optimization problems with composite objective. We justify local superlinear convergence under the assumption of uniform convexity of the smooth component, having Lipschitz-continuous high-order derivative. The convergence both in function value and in the norm of minimal subgradient is established. Also, we show how local convergence of the methods can be globalized using the inexact proximal iterations.

■ WD-02

Wednesday, 11:45 - 13:00 - Turing

Advances in mathematical optimization for machine learning and data analysis - Part II

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Dimitri Papadimitriou

1 - A Bregman Method for Structure Learning on Sparse Directed Acyclic Graphs

Manon Romain

We develop a Bregman proximal gradient method for structure learning on linear structural causal models. While the problem is non-convex, has high curvature and is NP-hard, Bregman gradient methods allow us to neutralize at least part of the impact of curvature by measuring smoothness against a highly nonlinear kernel. This allows the method to make longer steps and significantly improves convergence. Each iteration requires solving a Bregman proximal step which is convex and efficiently solvable for our particular choice of kernel. We test our method on various synthetic and real data.

2 - An adaptive, accelerated algorithm for stochastic constrained convex optimization

Ali Kavis, Kfir Levy, Francis Bach, Volkan Cevher

We propose a novel adaptive, accelerated algorithm for stochastic constrained convex optimization. Our method, inspired by the Mirror-Prox method, simultaneously achieves the optimal rates for smooth/non-smooth problems with either deterministic/stochastic first-order oracles. This is done without any prior knowledge of the smoothness nor the noise properties of the problem. To the best of our knowledge, this is the first adaptive, unified algorithm that achieves optimal rates in the constrained setting. Through extensive numerical experiments, we demonstrate the performance of our framework.

3 - Recent Advances in the Theory of (Adaptive) Stochastic Gradient Methods

Vivak Patel

Stochastic Gradient Descent (SGD) and its adaptive variants are foundational algorithms in data science, where it is essential to understand the behavior of these methods. In this talk, we establish several novel results. For standard SGD, we demonstrate L2 and strong convergence for a broad class of nonconvex functions, subsuming most recent results. Moreover, we provide a unified consistency and asymptotic normality analysis for a broad class of convex functions and adaptive methods, improving on many recent efforts.

■ WD-03

Wednesday, 11:45 - 13:00 - Nash

Interfaces between Optimization and Game Theory

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: Laura Rosa Maria Scrimali

1 - Computing mixed strategies equilibria in presence of switching costs by the solution of nonconvex QP problems

Veronica Piccialli, Giampaolo Liuzzi, Marco Locatelli, Stefan Rass

In this work, we address a game theory problem arising in the context of network security. In traditional game theory problems, given a defender and an attacker, one searches for mixed strategies that minimize a linear payoff functional. In this paper an additional quadratic term is added to the minimization problem representing switching costs, i.e., the costs for the defender of switching from a given strategy to another one. The resulting problem is a nonconvex QP problem with linear constraints, that is NP-hard. We propose an effective branch and bound for solving it.

2 - Decentralize and Randomize: Faster Algorithm for Wasserstein Barycenters

Pavel Dvurechensky

We study the decentralized distributed computation of discrete approximations for the regularized Wasserstein barycenter of a finite set of continuous probability measures distributedly stored over a network. We assume there is a network of agents/machines/computers, and each agent holds a private continuous probability measure and seeks to compute the barycenter of all the measures in the network by getting samples from its local measure and exchanging information with its neighbors. Motivated by this problem, we develop, and analyze, a novel accelerated primal-dual stochastic gradient method

3 - Solving non-monotone equilibrium problems via a DIRECT-type approach

Mauro Passacantando, Stefano Lucidi, Francesco Rinaldi

A global optimization approach for solving non-monotone equilibrium problems (EPs) is proposed. The class of (regularized) gap functions is used to reformulate any EP as a constrained global optimization program and some bounds on the Lipschitz constant of such functions are provided. The proposed approach is a combination of an improved version of the DIRECT algorithm with local minimizations. Unlike most existing solution methods for EPs, no monotonicity-type condition is assumed in this paper. Preliminary numerical results on several classes of EPs show the effectiveness of the approach.

■ WD-04

Wednesday, 11:45 - 13:00 - Lagrange

Applications of Optimization II

Stream: Applications of Optimization

Contributed session

Chair: Sebastien Bourguignon

1 - Continuous optimization of Fourier sampling schemes for MRI

Alban Gossard, Frédéric de Gournay, Pierre Weiss

Fourier sampling is a critical issue in image processing. While Shannon and compressed sensing theories dominated the field for decades, a recent trend is to optimize the sampling scheme for a specific dataset. In this work, we'll focus on methods that continuously optimize the sampling points with respect to a reconstruction algorithm and to a database. Most attempts in this direction report optimization issues. We show that this phenomenon cannot be avoided since the problem is intrinsically combinatorial and has a huge number of spurious minimizers. We propose ideas to leverage this issue.

2 - GPU-Accelerated Plan Optimization for Intensity-Modulated Radiotherapy

Juan José Moreno Riado, Janusz Miroforidis, Dmitry Podkopaev, Ernestas Filatovas, Ignacy Kaliszewski, Ester M Garzon

Intensity-Modulated Radiotherapy (IMRT) is a technique for cancer treatment that allows precise control over the geometry and intensity profile of radiation beams. Since the dose deposited in the patient's body by a given IMRT plan is modeled by a sparse matrix, most of the computation time during the plan optimization stage is spent in sparse matrix multiplications. Therefore, an adequate use of HPC techniques can drastically reduce planning time. In this work, we describe a GPU-accelerated gradient-based optimization technique capable of generating adequate plans in a limited time span.

3 - Optimization of molecular descriptors using memetic algorithms

Savíns Puertas Martín, Juana Lopez Redondo, Horacio Pérez-Sánchez, Pilar M. Ortigosa

One of the aims of Drug Discovery is to find compounds similar to a reference. For this purpose, different methods are appearing, among which we highlight Virtual Screening (VS). Usually, the VS techniques are ad-hoc methods that optimize a particular descriptor used as a scoring function. In this work, we propose a generic memetic optimization algorithm able to deal with any descriptor. Results show that our proposal outperforms the solutions provided by the state-of-the-art algorithms, previously proposed in the literature.

■ WD-05

Wednesday, 11:45 - 13:00 - Pontryagin

Polynomial Optimization I

Stream: Polynomial Optimization

Invited session

Chair: Marek Tyburec

1 - Sparse moment-sum-of-squares relaxations for nonlinear dynamical systems with guaranteed convergence*Corbinian Schlosser, Milan Korda*

We present a sparse moment-sum-of-squares approach for sparse dynamical systems that can be applied to the problems: region of attraction, maximum positively invariant set and global attractor. We prove a decomposition of these sets provided that the vector field and constraint set possess certain structure. We combine these decompositions with existing methods that are based on infinite-dimensional linear programming. In case of sparse polynomial dynamics, we show that these methods admit a sparse sum-of-squares (SOS) approximation with guaranteed convergence.

2 - Polynomial optimization applied to set computation*Benoît Legat, Raphaël M. Jungers*

The search for a set satisfying given properties is commonly narrowed down to polytopes or ellipsoids. However, in high dimension, the size of the representation of feasible polytopes might not be practical and the restriction to ellipsoids might be too conservative. In this talk, we explore the computation of sets defined by polynomial functions. For convex sets, we discuss the choice to parametrize the search in terms of the gauge or support function of the set depending on the properties that the set should satisfy.

3 - Exploiting constant trace property in large-scale polynomial optimization*Ngoc Hoang Anh Mai, Jean Bernard Lasserre, Victor Magron*

We prove that every semidefinite moment relaxation of a polynomial optimization problem (POP) with a ball constraint can be reformulated as a semidefinite program involving a matrix with constant trace property (CTP). As a result such moment relaxations can be solved efficiently by first-order methods that exploit CTP, e.g., the conditional gradient-based augmented Lagrangian method. The efficiency and scalability of our framework are illustrated on second-order moment relaxations for various randomly generated QCQPs. This is joint work with Lasserre, Magron and Wang.

■ WD-06*Wednesday, 11:45 - 13:00 - Moreau***Energetic and Environmental Applications of Optimization I**

Stream: Energetic and Environmental Applications of Optimization

*Contributed session*Chair: *Juana Lopez Redondo***1 - Decomposition of long-term investment optimization models for large-scale integration of wind power in Europe***Caroline Granfeldt*

To capture the variability in electricity generation from variable renewable energy sources, mathematical modeling of future electricity systems must include a fine discretization of time. However, this leads to huge-scale optimization problems.

We have developed a linear optimization model that maintains a high temporal resolution while capturing the most important aspects of the problem to minimize future costs of electricity production. I will discuss how a variable splitting-based Lagrangian relaxation and subgradient algorithm enables a parallel solution process for this model.

2 - ETS, Emissions and the Energy-Mix Problem*Paolo Falbo*

We study the impact of ETS on emissions and energy-mix through a bilevel model. At the upper level, a policymaker maximizes a welfare function deciding the number of allowances to distribute to the electricity producers. At the lower level, two large producers decide the long-term capacity expansion among three technologies: renewables, coal and gas. The uncertainty is modelled through Markov chain bootstrapping scenarios, made of coal and gas prices and electricity demand. The problem is solved considering a large set of Pareto efficient solution between the two electricity producers.

3 - Optical characterization of heliostat facets through computational optimization*N.c. Cruz, R. Monterreal, Juana Lopez Redondo, J. Fernández-Reche, R.e. Orts, Pilar M. Ortigosa*

Solar power tower plants use mirrors, known as heliostats, to collect solar radiation. They consist of reflective panels, called facets, whose building specifications must be checked. The Direct Method studies the features of the facet's surface itself. The Indirect Method uses special equipment, such as ultra-sensitive cameras, to analyze the solar image reflected by the studied facet on the target. This work focuses on the latter approach and formalizes an optical characterization procedure through computational optimization to avoid the traditional trial-and-error strategy.

Wednesday, 14:30 - 15:30**■ WE-01***Wednesday, 14:30 - 15:30 - Fermat***EUROPT Fellow 2020 Lecture**

Stream: Plenary

*Plenary session*Chair: *Laura Palagi*Chair: *Giancarlo Bigi***1 - Nonsmooth Optimization for Classification Problems in Machine Learning***Manlio Gaudioso*

Classification is a machine learning technique where the objective is to assign each sample of a given population to exactly one from among several possible classes. Samples are represented by numerical vectors in the space of a certain number of attributes (features) and a classifier is a mathematical tool that is designed starting from a dataset of samples with known class membership (the so called training set). Once the classifier has been built up, it is used to predict the class membership for newly incoming samples. Most of the times classification problems are binary, as the class considered are just two, and constructing the classifier requires solution of a numerical optimization problem to detect an "optimal" separation surface in the sample space. Effective classification methods (e.g. the classic Support Vector Machine one) are based on the use of separating hyperplanes, and the problem at hand is formulated as a (possibly large scale) quadratic program. Nonsmooth optimization comes into the play first when nonlinear separation surfaces are sought, thus we will survey polyhedral, spherical, ellipsoidal and conical separation models. In addition we will focus on some more complex classification problems, where nonsmooth objective functions are to be dealt with. We will consider, in particular: • The semisupervised setting, where class membership is assumed to be known just for a subset of the training set; • The multiple instance learning, where bags of samples instead of single ones are to be classified; • The feature selection process, where sparse classifiers are designed. In all the above cases the optimization problems to be tackled are nonconvex and nonsmooth. Very often, however, they can be put in the DC (Difference of Convex) form. We will also provide the results of some numerical experiments.

Wednesday, 15:45 - 17:30

■ WF-01

Wednesday, 15:45 - 17:30 - Fermat

ADMM, block variants and proximality

Stream: Alternating Direction Method of Multipliers and its Applications

Invited session

Chair: *Jacek Gondzio*

1 - A block symmetric Gauss-Seidel decomposition theorem for convex quadratic programming and its applications in multi-block ADMM

Kim-Chuan Toh

For a multi-block convex composite quadratic programming (CCQP) with an additional nonsmooth term in the first block, we present a block symmetric Gauss-Seidel (sGS) decomposition theorem, which states that each cycle of the block sGS method is equivalent to solving the CCQP with an additional sGS proximal term constructed from the quadratic function. This theorem has played a key role in various recently developed inexact proximal ADMM for multi-block convex conic programming. We demonstrate how our sGS-based ADMM can be applied solve doubly nonnegative SDPs.

2 - A purely numerical linear algebra view on ADMM

Stefano Cipolla, Jacek Gondzio

Because of its versatility and applicability in multiple fields, the n-block alternating direction method of multipliers (ADMM) for solving non-separable convex minimization problems, has recently attracted the attention of many researchers. Despite the fact the connections between ADMM and Gauss-Seidel are well known, to the best of our knowledge, an analysis from the purely numerical linear algebra point of view is lacking in the literature. Aim of this talk is to present a series of very recent results obtained on this topic which shed further light on basic issues as convergence

3 - Primal-dual proximal methods with Bregman distances

Xin Jiang, Lieven Vandenbergh

We discuss Bregman distance extensions of the primal-dual three-operator (PD3O) and Condat-Vu proximal algorithms. When used with standard proximal operators these algorithms include several important methods, including ADMM, as special cases. Extensions to generalized Bregman distances are attractive if the complexity per iteration can be reduced by matching the Bregman distance to the structure in the problem. For practical implementation we introduce line search techniques in the proposed methods. The results will be illustrated with applications in semidefinite optimization.

4 - Multi-Block ADMM - Managing Randomness and Data Privacy in Optimization Algorithm Design

Yinyu Ye

Randomization strategy has been widely used in designing optimization algorithms to achieve properties that deterministic algorithms cannot do, such as SGD, BCD, Reinforced Learning etc. In this talk, we show how randomized techniques help in greatly improving the efficiency of the multi-block alternating direction method with multipliers. On the other hand, we illustrate that too much randomness may be harmful to the algorithm convergence. Therefore, randomness needs to be carefully managed to take advantage of the strategy. In addition, we discuss how to implement ADMM while preserving data

■ WF-02

Wednesday, 15:45 - 17:30 - Turing

Beyond First-order Optimization Methods for Machine Learning - Part I

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: *Fred Roosta*

Chair: *Albert Berahas*

1 - Sequential Quadratic Optimization for Nonlinear Equality Constrained Stochastic Optimization

Albert Berahas, Frank E. Curtis

Stochastic gradient and related methods for solving unconstrained stochastic optimization problems have been studied extensively in recent years. However, settings with general nonlinear constraints have received less attention, and many of the proposed methods resort to using penalty or Lagrangian methods, which are often not the most effective strategies. In this work, we propose and analyze stochastic optimization methods based on the sequential quadratic optimization methodology. We discuss advantages and disadvantages of our approaches. Collaborators: F. E. Curtis, D. Robinson & B. Zhou.

2 - Stochastic Polyak Step-size for SGD: An Adaptive Learning Rate for Fast Convergence

Nicolas Loizou

We propose a stochastic variant of the classical Polyak step-size (Polyak, 1987) commonly used in the subgradient method. Although computing the Polyak step-size requires knowledge of the optimal function values, this information is readily available for typical modern machine learning applications. Consequently, the proposed stochastic Polyak step-size (SPS) is an attractive choice for setting the learning rate for stochastic gradient descent (SGD). We provide theoretical convergence guarantees for SGD with SPS in different settings, including strongly convex, convex and non-convex functions.

3 - Systematic Second-order Methods for Training, Designing, and Deploying Neural Networks

Amir Gholami

Finding the right Neural Network model and training it for a new task requires considerable expertise and extensive computational resources. Moreover, the process often includes ad-hoc rules that do not generalize to different application domains. These issues have limited the applicability and usefulness of DNN models, especially for new learning tasks. This problem is becoming more acute, as datasets and models grow larger, which increases training time, making random/brute force search approaches quickly untenable. In large part, this situation is due to the first-order stochastic gradient

4 - Distributed Learning of Deep Neural Networks using Independent Subnet Training

Anastasios Kyriillidis

We propose a new approach to distributed neural network learning, called independent subnet training (IST). In IST, a neural network is decomposed into a set of subnetworks of the same depth as the original network, each of which is trained locally, before the various subnets are exchanged and the process is repeated. IST training has many advantages over standard data parallel approaches. We show experimentally that IST results in training time that are much lower than data parallel approaches to distributed learning.

■ WF-03

Wednesday, 15:45 - 17:30 - Nash

Mixed Integer Non Linear Programming

Stream: Mixed Integer Non Linear Programming

Contributed session

Chair: *Sourour Elloumi*

1 - Branch-and-bound algorithm applied to sparse optimization problems: a study of some exploration strategies.

Gwenaël Samain, Jordan Ninin, Sebastien Bourguignon

Sparse optimization focuses on finding a solution to least-squares problems with few non-zero components. Applications include inverse problems in signal processing, subset selection, or portfolio optimization. Optimization problems can be formulated as mixed-integer programs. A dedicated branch-and-bound algorithm is able to exploit the specific structure of such problems and finds the global minimum much faster than generic MIP solvers. We will present some results about the fine-tuning process of this branch-and-bound algorithm, focusing mainly on the exploration strategy.

2 - Continuous location in spaces with different lp-normed regions.

Moisés Rodríguez-Madrena, Martine Labbé, Justo Puerto

In this work we address the single-facility Weber location problem in a finite dimensional real space endowed with different lp-norms at different polyhedral regions. We propose an equivalent representation of the location problem as a mixed-integer second order cone mathematical programming formulation. Interior point algorithms embedded in a branch-and-bound search can be applied allowing to obtain approximate solutions with a high precision degree. Our approach is validated reporting some preliminary computational experiments.

3 - Large-scale Global Mixed-Integer Nonlinear Problems Solver by a Bi-level Generalized-CGRASP Metaheuristic Method

João Lauro Faco, Ricardo Silva, Mauricio Resende

Large-scale MINLP problems where the numbers n of continuous bounded variables and m constraints are large, and d discrete variables, $n+d>m$ can be solved in 2 levels. Repeat: (1) Optimization: a reduced problem in $(n-m)$ continuous variables and d discrete variables is solved by a Generalized-CGRASP method where the random search and local improvement phases use a continuous and a discrete set. (2) Feasibility: test the other continuous variables feasibility solving a system of m NL equations by CGRASP, keeping fixed the former variables. If any variable violates a bound, do a change-of-basis.

4 - Tightest linear reformulations for polynomial optimization with binary variables

Mathieu Verchère, Sourour Elloumi

Polynomial optimization problems with binary variables are known to be strongly NP-hard. In this talk, we consider the reformulation of these problems into equivalent mixed integer linear problems. For a given polynomial with binary variables, many such linear reformulations may exist and we focus on the question of how to find a reformulation with a tight LP bound. For polynomials with degree up to four, we formulate this question as a mixed integer linear problem. We then provide insights on potential improvements, as well as a theoretical comparison with other existing methods.

■ WF-04

Wednesday, 15:45 - 17:30 - Lagrange

Constrained optimization methods and solvers in Julia

Stream: Constrained optimization methods and solvers in Julia

Invited session

Chair: *Miguel F. Anjos*

1 - Krylov methods in interior-point algorithms: a computational survey*Mathieu Tanneau, Alexis Montoison*

Following growing interest in the community, we present a computational survey on the use of Krylov methods for solving the linear systems that arise in interior-point algorithms. First, we review the various linear systems that can be formulated from the so-called Newton system, and establish a nomenclature of which Krylov methods are suited to which linear system formulation. Then, we review a number of generic preconditioners, both from mathematical and practical perspectives. Finally, we compare the numerical behavior of each possible approach through extensive computational experiments.

2 - Hypatia.jl: A Generic Nonsymmetric Conic Optimization Solver in Julia*Chris Coey, Lea Kapelevich, Juan Pablo Vielma*

Hypatia is an open-source optimization solver in Julia and is accessible through a native interface and through JuMP/MathOptInterface. Hypatia makes it easy to model and solve primal-dual conic problems involving general convex cones for which appropriate primal OR dual barrier functions are known. We introduce Hypatia's interfaces and algorithms and demonstrate computational advantages of compact "natural" conic formulations over extended formulations that use only "classical" cones. We also describe some algorithmic advances that have helped to make Hypatia competitive.

3 - Conditional gradient methods for large-scale constrained optimization*Mathieu Besançon, Sebastian Pokutta, Alejandro Carderera*

Conditional gradient algorithms allow the integration of convex constraints in a first-order optimization method. We present a new Julia toolbox integrating several variants of the Conditional Gradient method and detail the design choices that enable large-scale and atypical applications. In particular, we will present the linear minimization oracle interface making the library extensible and allowing users to leverage closed-form solution of linear minimization subproblems when they are known.

4 - DiffOpt.jl differentiating your favorite optimization problems*Joaquim Dias Garcia, Mathieu Besançon, Benoît Legat, Akshay Sharma*

DiffOpt aims at differentiating optimization problems written in MathOptInterface (MOI). Because MOI is JuMP's lower level interface with solvers, this will "just work" with JuMP problems. The current framework is based on existing techniques for differentiating the solution of optimization problems with respect to the input parameters. We will show the current state of the package that supports Quadratic Programs and Conic Programs. Moreover, we will highlight how other packages are used to keep the library generic and efficient.

■ WF-05*Wednesday, 15:45 - 17:30 - Pontryagin***Multiobjective Optimization: Uncertainty and Nonconvexity**

Stream: Multiobjective Optimization

*Invited session*Chair: *Gabriele Eichfelder***1 - A general branch-and-bound framework for global multiobjective optimization***Oliver Stein*

We develop a general framework for branch-and-bound methods in multiobjective optimization. Our focus is on natural generalizations of notions and techniques from the single objective case. After a review of the main ideas of single-objective branch-and-bound we discuss the appropriate generalizations of upper and lower bounds, discarding tests, node selection and termination criteria to the multiobjective setting. As a novel tool for multiobjective branch-and-bound we introduce convergent enclosures for the set of nondominated points. Numerical results illustrate our approach.

2 - Extending the Robust (Relative) Regret Approach to a Multicriteria Setting*Patrick Groetzner, Ralf Werner*

Consider a multiobjective decision problem with uncertainty given as a set of scenarios. In the single criteria case, a famous method is to compare the possible decisions under uncertainty against the optimal decision with the benefit of hindsight, i.e. to minimize the (possibly scaled) regret of not having chosen the optimal decision. In this talk, we extend the concept of regret to the multiobjective setting and introduce a proper definition of multivariate (relative) regret. In contrast to the existing approaches, we are not limited to finite uncertainty sets or interval uncertainty.

3 - Solving uncertain multiobjective optimization problems via epigraphical reformulations*Ernest Quintana, Gabriele Eichfelder*

In this talk, we consider a solution approach for set-based robust solutions to multiobjective optimization problems under uncertainty. Specifically, we derive a parametric family of (deterministic) semi-infinite multiobjective problems whose solution sets approximate, with desired accuracy, that of the original problem. The tractability of the semi-infinite constraints is also analyzed with tools of Fenchel duality. Our approach generalizes the standard epigraphical reformulation of robust scalar problems to the multiobjective setting.

4 - A New Directional Derivative for Set Optimization*Gabriele Eichfelder, Robert Baier, Tobias Gerlach*

Set-optimization has attracted increasing interest in the last years, as for instance uncertain multiobjective optimization problems lead to such problems with a set-valued objective function. Optimality conditions for these problems, for instance using directional derivatives, are still very limited. The key aspect for a useful directional derivative is the definition of the used set difference. We present a new set difference which avoids the use of a convex hull and which applies to arbitrary convex sets. It is based on the new concept of generalized Steiner sets.

■ WF-06

Wednesday, 15:45 - 17:30 - Moreau

Conic Optimization and related topics

Stream: Conic Optimization and related topics

Invited session

Chair: *Paula Amaral*

1 - Min-max regret for Standard QPs and nonconvex fractional QPs

Immanuel Bomze, Paula Amaral, Patrick Groetzner

Under finitely many uncertain scenarios, min-max regret for (possibly nonconvex) Standard QPs can be reduced to a min-max QCQP. We will follow this route and embed it into the more general framework for nonconvex fractional quadratic optimization with linear denominators, under linear (and/or also quadratic constraints) where copositivity bounds play an essential role to reduce the optimality gap in global optimization procedures.

2 - On Standard Quadratic Programs with Exact and Inexact Doubly Nonnegative Relaxations

E. Alper Yildirim, Yakup Gökem Gökmen

We consider the doubly nonnegative (DN) relaxation of standard quadratic programs. We present a full algebraic characterisation of the set of instances of standard quadratic programs that admit an exact DN relaxation. This characterisation yields an algorithmic recipe for constructing such an instance. In addition, we explicitly identify three families of instances for which the DN relaxation is exact. We also provide an algebraic characterisation of the set of instances for which the DN relaxation has a positive gap and show how to construct such an instance using this characterisation.

3 - Copositive based bounds on the clique number

Paula Amaral, Immanuel Bomze

For a given a graph G , the maximum clique problem consists in determining the size of the maximum complete subgraph, (G) in G . It is well known that determining (G) is an NP-hard problem. This problem can be formulated as a copositive optimization problem. Copositivity detection is difficult; in particular, to decide if it is not copositive is NP-complete. In this talk we present an algorithm that is based on the decomposition of a matrix in the doubly non-negative cone. The algorithm gives upper and lower bounds on the clique number. We report computational results for a set of graphs.

4 - Optimal parameter tuning for path-following methods in conic optimization

Anastasiia Ivanova

Classical schemes for short-step path-following methods in conic optimization alternate a Newton step towards a target point on the central path and an increase of the parameter of the target point. The quantitative analysis of the performance of these methods relies on a comparison of the Newton decrement before and after the Newton step. We propose a novel scheme which replaces the Newton decrement with respect to a target point by an analog of the decrement with respect to the central path as a whole. Here the direction parallel to the central path is treated differently from the directions

Thursday, 9:00 - 10:40

■ TA-01

Thursday, 9:00 - 10:40 - Fermat

Non-smoothness, inexactness and applications

Stream: Alternating Direction Method of Multipliers and its Applications

Invited session

Chair: *Stefano Cipolla*

1 - Differentiating non-smooth (minimisation or) saddle point problems

Antonin Chambolle

In recent works with T.Pock, TU Graz, we adapted the "piggyback" method to compute the differential of a loss depending on the solution of a non-smooth saddle point problem. The idea is to estimate the adjoint state by an iterative method parallel to the computation of the solution, rather than inverting of a system depending on the solution. One advantage is that it may be done also for degenerate problems where the inversion is impossible. While working in practice, the method is justified for smooth problems only. We will discuss attempts to generalize it to less smooth situations.

2 - Principled analysis of methods with inexact proximal computations

Mathieu BarrÉ, Adrien Taylor

Proximal operations are among the most common primitives appearing in optimization. In particular, they are crucial tools in many standard splitting methods. We show that worst-case guarantees for algorithms relying on inexact proximal operations can be systematically obtained through a generic procedure based on semidefinite programming. This methodology is primarily based on the approach from (Drori & Teboulle, 2014) and on convex interpolation results, and allows producing non-improvable worst-case analyzes. We illustrate it on various algorithms involving inexact proximal computations.

3 - A Flexible Optimization Framework for Regularized Linearly Coupled Matrix-Tensor Factorizations based on the Alternating Direction Method of Multipliers

Jeremy Cohen, Carla Schenker, Evrim Acar Ataman

Coupled matrix and tensor factorizations (CMTF) are frequently used to jointly analyze data from multiple sources, a task also called data fusion. We propose a flexible algorithmic framework for coupled matrix and tensor factorizations which utilizes Alternating Optimization (AO) and the Alternating Direction Method of Multipliers (ADMM). The framework facilitates the use of a variety of constraints, regularizations, loss functions and couplings with linear transformations in a seamless way. We demonstrate its performance on some simulated and real datasets.

4 - An ADMM-Newton-CNN Numerical Approach to a TV Model for Identifying Discontinuous Diffusion Coefficients in Elliptic Equations: Convex Case with Gradient Observations

Xiaoming Yuan

We consider a TV model for identifying the discontinuous diffusion coefficient in an elliptic equation with observation data of the gradient of the solution, and show that the ADMM can be used effectively. We also show that one of the ADMM subproblems can be well solved by the active-set Newton method along with the Schur complement reduction method, and the other one can be efficiently solved by the deep convolutional neural network (CNN). The resulting ADMM-Newton-CNN approach is demonstrated to be efficient even for higher-dimensional spaces with fine mesh discretization.

■ TA-02

Thursday, 9:00 - 10:40 - Turing

Nonlinear Composite and Constrained Optimization - Part I

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: *Cong Bang Vu*

Chair: *Dimitri Papadimitriou*

1 - Proximal alternating minimization for solving discrete Mumford-Shah and Amborsio-Tortorelli models

Hoang Trieu Vy Le, Marion Foare, Nelly Pustelnik

This work focuses on a class of imaging problems which can be reformulated as a non-linear composite problem. We derive two proximal alternating minimization schemes with convergence guarantees to estimate critical points. In particular, we place our attention on the discrete Mumford-Shah and the Amborsio-Tortorelli models. We compare their behaviors when the discrete counterpart of the 1D Hausdorff measure is modeled either by an ℓ_1 -norm or AT penalization. The closed-form expressions of the involved proximity operators are provided.

2 - Random extrapolation for primal-dual coordinate descent

Ahmet Alacaoglu, Olivier Fercoq, Volkan Cevher

We introduce a randomly extrapolated primal-dual coordinate descent method that adapts to sparsity of the data matrix and the favorable structures of the objective function. Our method updates only a subset of primal and dual variables with sparse data, and it uses large step sizes with dense data. We prove linear convergence under metric subregularity for strongly convex-strongly concave problems, and almost sure convergence of the sequence and optimal sublinear convergence rates for the primal-dual gap and objective values, in the general convex-concave case.

3 - Primal-Dual Proximal Splitting Algorithms for Large-Scale Convex Optimization

Laurent Condat, Adil Salim, Peter Richtarik

We study algorithms to minimize a sum of convex functions, possibly composed with linear operators, using their individual gradient or proximity operator. Using two different constructions based on the splitting technique proposed by Davis and Yin in 2017, we recover existing algorithms and discover a new one, which we call PDDY. Different variants, distributed, decentralized, or with stochastic gradient, will be discussed. Moreover, we derive nonergodic sublinear or linear convergence rates, as well as new accelerated versions in presence of strong convexity, using varying stepsizes.

4 - On a Primal-Dual Newton Proximal Method for Convex Quadratic Programs

Alberto De Marchi

We introduce QPDO, a primal-dual method for convex quadratic programs which builds upon the proximal point algorithm and a damped semismooth Newton's method. The outer proximal regularization yields a numerically stable method, and we interpret the proximal operator as the unconstrained minimization of a suitable merit function. The inner minimization relies on linear systems that are always solvable and exact linesearch. We report on numerical results against state-of-the-art solvers. QPDO proves to be a simple, robust, and efficient numerical method for convex quadratic programming.

■ TA-03

Thursday, 9:00 - 10:40 - Nash

Game theory, multilevel and dynamic optimization I

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Mathias Staudigl*

1 - Consistent Multiscale Control of Stackelberg Games

Anna Thünen

We present a Stackelberg game with a large number of followers and we also derive the mean field limit of infinitely many followers. The relation between optimization and mean-field limit is studied and conditions for consistency are established. Finally, we propose a numerical method based on the derived models and present numerical results.

2 - Approximation and exact penalization in hierarchical programming

Giancarlo Bigi, Lorenzo Lampariello, Simone Sagratella

Hierarchical programs are optimization problems whose feasible set is the solution set of another problem. The talk focuses on lower-level problems that are non-parametric wrt upper level variables: minimization over the solution set of a variational inequality is considered, which is a peculiar semi-infinite program and encompasses simple bilevel and equilibrium selection problems. To tackle it, a suitable approximated version is introduced. This does not perturb the original program too much while allowing the exploitation of exact penalty approaches whose convergence properties are shown.

3 - Generalized Nash games with discontinuous cost functions: an new approach

Didier Aussel, David Salas, Kien Cao Van

A generalized Nash equilibrium problem (GNEP) corresponds to a non cooperative interaction between a finite set of players in which the cost function and the feasible set of each player depend on the decisions of the other players. The classical existence result for generalized equilibria due to Arrow-Debreu requires continuity of the cost functions. In this work, we provide an existence of solutions transferring this hypothesis to a "continuity-like" condition over the sublevel sets of the aforementioned functions. Comparison with Reny's approach for discontinuous games is also considered.

4 - Qualitative stability for solution map of parameterized Nash equilibrium problem and application

Thanh Cong Lai Nguyen, Didier Aussel

It is well known that the Nash Equilibrium Problem is a multi-player model of non-cooperative games. It is of interest to know whether the solution set of its parameterized form is stable or not. Here stability is understood in the sense of the semicontinuity of the solution set-valued map. We explore a number of different approaches based on either product-type assumptions or componentwise hypotheses. The qualitative stability is investigated under some properties such as semicontinuity, quasiconvexity of the cost functions of the players. Then application to single-leader-multi-follower

■ TA-04

Thursday, 9:00 - 10:40 - Lagrange

Optimization under Uncertainty and Applications I

Stream: Optimization under Uncertainty and Applications

Contributed session

Chair: *Eligius M.T. Hendrix*

1 - Kernel Distributionally Robust Optimization

Jia-Jie Zhu

We propose kernel distributionally robust optimization (Kernel DRO) using insights from functional analysis. Our method uses reproducing kernel Hilbert spaces to construct ambiguity sets, which can be generalized to integral probability metrics and moment bounds. This perspective unifies existing robust and stochastic optimization methods. We prove a theorem that generalizes the classical duality in the mathematical problem of moments. Using universal RKHSs, our method applies to a broad class of loss functions, lifting common limitations such as the knowledge of the Lipschitz constant.

2 - Optimal residential Microgrid operation considering Vehicle-to-Home (V2H) and Vehicle-to-Grid (V2G) energy services

Mohamed Saâd El Harrab, , Michel Nakhla

Energy Management System (EMS) plays a key role in operating Microgrids (MG). We consider a residential grid-connected MG equipped with PV system and PEV battery. Based on Stochastic Optimization and Machine Learning approaches, we investigate different scenarios of the MG optimization considering various uncertainties and constraints. The developed Home EMS (HEMS) optimizes the scheduling and the power dispatch of the MG considering V2G and V2H services and allows to identify household's potential energy cost savings and the effectiveness of V2G and V2H strategies in operating the MG.

3 - Convex Optimization using Tunable First-Order Inexact Oracles

Guillaume Van Dessel, François Glineur

Using black-box first-order methods with an approximate gradient, i.e. an inexact oracle, may significantly impact their convergence. In this work, we consider a tunable inexact oracle, which can provide first-order information with increasing levels of exactness, albeit with an increasing computational cost, which happens e.g. where the objective function is the optimal value of an inner subproblem. Given a target final accuracy, we show how to select the inexactness level at each step in order to minimize total computational budget, and present several situations where this is beneficial.

Thursday, 11:00 - 12:40

■ TB-01

Thursday, 11:00 - 12:40 - Fermat

Optimization for Air Transportation

Stream: Optimization for Air Transportation

Contributed session

Chair: *Andrija Vidosavljevic*

1 - Optimization for safe urban air mobility

Mercedes Pelegrín, Claudia D'Ambrosio, Rémi Delmas, Youssef Hamadi

Urban Air Mobility (UAM) will exploit the third dimension to smooth ground traffic in densely populated areas. On-line automated air traffic management will be key to ensure safety and optimize airspace capacity. This work addresses the problem of Tactical Deconfliction in UAM, considering different sources of unexpected traffic disruptions. A mathematical programming model based on envisioned UAM corridors is proposed. Extensive computational experience will allow us to draw conclusions on the benefits and limitations of our approach.

2 - Trajectory optimization for the computation of safe emergency trajectories

Maëva Ongale-obeyi, Damien Goubinat, Pierre-loic Garoche, Daniel Delahaye

Nowadays, during an unexpected event in flight, the crew has to compare all the alternatives and plan a trajectory, without any automatized decision support. This decision has to be executed quickly in a stressful environment. Thus, the creation of an emergency landing planner seems crucial. We want to create a planner capable of computing a trajectory that is : (a) safe, (b) flyable and (c) in accordance with the resources. For this purpose, we decided to combine three algorithms, providing each one of these features: a path-planner, a path smoothing system and a continuous trajectory system.

3 - New formulation for aircraft conflict avoidance problem using Sequential convex MINLP technique

Renan Spencer Trindade, Claudia D'Ambrosio, Antonio Frangioni, Claudio Gentile

Our work presents a new formulation for the aircraft conflict avoidance problem in two-dimensional space, where only the change in flight direction angle is allowed. The goal is to find the minimal variation of the original aircraft route angle while respecting the aircraft's minimum safety distance along the trip. We propose a formulation defined as the sum of non-convex univariate functions of the original problem. Sequential Convex Mixed Integer Non-Linear Programming is applied to the problem, defining a convex relaxation of the original problem.

4 - Two-stage stochastic programming for the extended aircraft arrival management problem with multiple pre-scheduling points

Ahmed Khassiba, Fabian Bastin, Sonia Cafieri, Bernard Gendron, Marcel Mongeau

We consider the two-stage stochastic optimization problem where a set of aircraft, heading to a given airport, are to be pre-scheduled on a reference point in the near-to-airport area in the first stage, and to be scheduled on the landing runway in the second stage. Actual arrival times on the pre-scheduling point are assumed to deviate randomly from target arrival times. In this work, we extend a previously proposed model to the case of multiple pre-scheduling points. Preliminary results are obtained on realistic instances from Paris-Charles-de-Gaulle airport.

■ TB-02

Thursday, 11:00 - 12:40 - Turing

Nonlinear Composite and Constrained Optimization - Part II

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: *Cong Bang Vu*

Chair: *Dimitri Papadimitriou*

1 - A primal dual method for optimization with nonlinear constraints

Mehmet Fatih Sahin

We propose a practical inexact augmented Lagrangian method (iALM) for nonconvex problems with nonlinear constraints. We characterize the total computational complexity of our method subject to a verifiable geometric condition, which is closely related to the Polyak-Lojasiewicz and Mangasarian-Fromowitz conditions. We also provide numerical evidence on machine learning problems, including the Burer-Monteiro factorization of semidefinite programs.

2 - Safe Screening for the Generalized Conditional Gradient Method

Yifan Sun

We explore the sparsity acquiring properties of a generalized conditional gradient method, where the constraint is replaced by a gauge penalty function. Without assuming bounded iterates, we show $O(1/t)$ convergence of the function values and duality gap. We couple this with a safe screening rule, and show that at a rate $O(1/(td^2))$, the screened support matches the support at the solution, where $d > 0$ measures problem degeneracy. Numerical experiments support our theoretical findings.

3 - An Optimal Algorithm for Strongly Convex Minimization under Affine Constraints

Adil Salim, Laurent Condat, Dmitry Kovalev, Peter Richtarik

Optimization problems under affine constraints appear in various areas of machine learning. We consider the task of minimizing a smooth strongly convex function F under the affine constraint $Lx = b$, with an oracle providing evaluations of the gradient of F and multiplications by L and its transpose. We provide lower bounds on the number of gradient computations and matrix multiplications to achieve a given accuracy. Then we propose an accelerated primal-dual algorithm achieving these lower bounds. Our algorithm is the first optimal algorithm for this class of problems.

4 - Larger stepsizes for some primal-dual algorithms

Ming Yan, Zhi Li

Many primal-dual algorithms are developed to solve the optimization problem with a linear composition, and there was a common upper bound for the product of the primal and dual stepsizes. In this talk, I will present a large upper bound of the product for some primal-dual algorithms. In addition, we provide examples to show that the upper bound is tight. Then we apply this upper bound to show the convergence of several decentralized algorithms under weaker conditions.

■ TB-03

Thursday, 11:00 - 12:40 - Nash

Solution Techniques for Variational Inequalities

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Patrizia Daniele*

1 - Pseudo-monotone variational inequalities: Dynamics and numerical schemes of Tseng type

Robert Csetnek

We associate to a pseudo-monotone variational inequality a Tseng-type dynamical system and carry out an asymptotic analysis for the generated trajectories. The explicit time discretization of this system results into Tseng's forward-backward-forward algorithm with relaxation parameters, which we prove to converge also when it is applied to the solving of pseudo-monotone variational inequalities. In addition, we show that linear convergence is guaranteed under strong pseudo-monotonicity. We close with numerical experiments which justify the theory presented.

2 - Variance Reduction schemes for stochastic Variational inequalities

Mathias Staudigl

We develop a new stochastic algorithm with variance reduction for solving pseudo-monotone stochastic variational inequalities. Our method builds on Tseng's forward-backward-forward algorithm, which is known in the deterministic literature to be a valuable alternative to Korpelevich's extragradient method when solving variational inequalities over a convex and closed set governed by pseudo-monotone, Lipschitz continuous operators.

3 - A second order dynamical system and its discretization for strongly pseudo-monotone variational inequalities

Vuong Phan

We consider a second order dynamical system for solving variational inequalities in Hilbert spaces. Under standard conditions, we prove the existence and uniqueness of strong global solution of the proposed dynamical system. The exponential convergence of trajectories is established under strong pseudo-monotonicity and Lipschitz continuity assumptions. A discrete version of the proposed dynamical system leads to a relaxed inertial projection algorithm whose linear convergence is proved. We discuss the possibility of extension to general monotone inclusions.

4 - Stochastic generalized Nash equilibrium seeking and Variational Inequalities

Barbara Franci, Sergio Grammatico

We consider the stochastic generalized Nash equilibrium problem (SGNEP) in merely monotone games with expected-value cost functions and shared constraints. Specifically, we present a distributed SGNE seeking algorithm with a single proximal computation (e.g. projection) and one single evaluation of the pseudogradient mapping. Our scheme is inspired by the relaxed forward-backward algorithm for variational inequalities by Malitsky (Mathematical programming, 2019) and convergence is proven under monotonicity of the pseudogradient, approximated with the average over a number of random samples.

■ TB-04

Thursday, 11:00 - 12:40 - Lagrange

Energetic and Environmental Applications of Optimization II

Stream: Energetic and Environmental Applications of Optimization

Contributed session

Chair: *Catherine Choquet*

1 - Mixed-Integer Nonlinear Optimization for District Heating Network Expansion

Marius Roland, Martin Schmidt

We present a MINLP for the expansion of district heating networks given a number of candidate consumers. Expansion decisions are made using the stationary state solution for the district heating system taking into account the pressure and thermal losses of the water pipes. We propose an approximation of the thermal energy equation and additional valid inequalities are derived to help global solvers solve the problem. Our numerical results show a trade-off between connecting distant candidate consumers, thus increasing thermal and pressure losses, and the estimated average consumer payment.

2 - Response Surface Optimization of Continuous Packed Bed Adsorption Processes for Textile Wastewater Treatment

Younes Abrouki, Abdelkader Anouzla, Hayat Loukili

In this study, we investigated the response surface optimization of continuous packed bed adsorption processes for textile wastewater treatment using low-cost adsorbent developed from bio-waste. Under the optimal conditions exposed by central composite design, it is possible to eliminate almost the majority of the pollutants present in textile wastewater. It was found that this process using continuous fixed-bed adsorption column filled with biowaste-derived adsorbent was efficient at removing of Pollutants from textile Wastewater.

3 - Numerical validation of a game theory approach for the optimal control problem of groundwater pollution

Moussa Mory Diedhiou, Catherine Choquet

We consider a spatial differential game modeling the non-cooperation of two polluters for the optimal control of groundwater quality while maximizing the profit of their polluting activity. Spatio-temporal objectives are constrained by a hydrogeological model for the spread of the pollution in the aquifer which consists in a system of a nonlinear parabolic partial differential equation for the pollutant concentration coupled with an elliptic equation for the velocity of the flow. The problem under consideration belongs to the class of infinite dimensional multiobjective control problems.

■ TB-06

Thursday, 11:00 - 12:40 - Moreau

Global Optimization

Stream: Global Optimization

Contributed session

Chair: *Leocadio G. Casado*

1 - Exact and heuristic algorithms for solving a MINLP single facility location and design problem for firm expansion

Jose Fernandez, Boglárka G.-Tóth, , Laura Anton-Sanchez

A firm has a given budget available to invest in a given geographical area where it already runs some other facilities. Competing facilities already exist in the market. In order to increase its profit, the firm can (1) locate a new facility, (2) change the quality of the existing facilities up or down or even close some of them (3) do both things. An MINLP formulation for this problem is introduced, and both an interval B&B algorithm and a heuristic procedure are proposed to cope with it. According to the results, small variations in the available budget may produce very different results.

2 - Nested branch-and-bound algorithm for minmax problem and constraints with quantifiers

Jordan Ninin, Dominique Monnet, Benoit Clement

We consider global optimization problems of a minmax function subject to constraints with quantifiers. The goal is to minimize over x the maximum over y of $f(x,y)$, and constraints with quantifiers must be satisfied for a set of value (for all y in S). We present an algorithm to address this non-smooth objective function and the constraints with quantifiers in the same way. Our approach is a set-valued method based on two nested branch-and-bound algorithm, using interval analysis. This problem arises in structured robust control, semi-infinite optimization or minmax optimization.

3 - Towards accelerating global parameter estimation with reduced data sets

Susanne Sass, Angelos Tsoukalas, Ian H. Bell, Dominik Bongartz, Jaromil Najman, Alexander Mitsos

Many large parameter estimation problems are intractable for deterministic global optimization solvers. With a Branch and Bound algorithm in mind, we therefore investigate whether valid lower bounds can be constructed based on reduced data sets. To that end, we take the equation of state for propane as a case study. Our results indicate that reduced models can successfully identify regions where the model based on the full data set yields high and low objective values. However, whether and to what extent there is a time gain due to data reduction depends on the actual data sample chosen.

4 - On simplex minds and monotonicity

Eligius M.T. Hendrix, Leocadio G. Casado, Frederic Messine, Boglárka G.-Tóth

Simplicial branch and bound type of methods could make use of gradient bounds in order to create novel bounds over a simplicial partition set. Our question is how to use ideas of Interval Arithmetic to generate novel bounds. Our second question is dealing with the concept of monotonicity and exploitation in a simplicial branch and bound framework. We will report on our findings thus far. This investigation has been supported by The Spanish Ministry (RTI2018-437 095993-B-100), in part financed by the European Regional Development Fund (ERDF).

Thursday, 14:00 - 15:00

■ TC-01

Thursday, 14:00 - 15:00 - Fermat

EUROPT Fellow 2021 Lecture

Stream: Plenary

Plenary session

Chair: *Miguel F. Anjos*

Chair: *Giancarlo Bigi*

1 - Sums of squares of polynomials and graphs

Monique Laurent

We investigate a hierarchy of semidefinite bounds for the stability number $\alpha(G)$ of a graph G , that are based on its continuous copositive programming formulation: $\alpha(G) = \min t: t(I+A_G)-J \text{ in } \text{COP}(n)$. Here, n is the number of vertices, A_G is the adjacency matrix, J is the all-ones matrix, and $\text{COP}(n)$ is the copositive cone, which consists of the symmetric matrices M for which the polynomial $p_M = \sum_{i,j=1}^n M_{ij}x_i x_j$ is nonnegative over \mathbb{R}^n . By replacing the copositive cone $\text{COP}(n)$ by its inner conic approximations K_r , consisting of the matrices M for which the polynomial $|x|^{2r}_M$ is a sum of squares, we obtain the bounds $\text{thetar}(G)$, known to converge asymptotically to $\alpha(G)$. De Klerk and Pasechnik (2002) conjectured that finite convergence takes place at order $r=\alpha(G)-1$. However, even the weaker conjecture asking whether equality holds for some r is still open. We discuss old and new results around these questions and the cones K_r , which display a nice interplay between graph structure, polynomial optimization and real algebraic geometry. Based on joint work with Luis Felipe Vargas (CWI, Amsterdam).

Thursday, 15:15 - 16:30

■ TD-01

Thursday, 15:15 - 16:30 - Fermat

Sparse and Large-Scale Optimization

Stream: Sparse and Large-Scale Optimization

Contributed session

Chair: Emmanuel Soubies

1 - On nondegenerate M-stationary points for mathematical programs with sparsity constraint

Sebastian Lämmel

We study mathematical programs with sparsity constraint (MPSC) from a topological point of view. Special focus will be on M-stationary points from Burdakov et al. (2016). We introduce nondegenerate M-stationary points, define their M-index, and show that all M-stationary points are generically nondegenerate. In particular, the sparsity constraint is active at all local minimizers of a generic MPSC. Moreover, we discuss the issues of instability and degeneracy of points due to different stationarity concepts.

2 - AAR-Based Decomposition Method For Limit Analysis

Nima Rabiei, Ali Almisreb

A method is suggested for decomposing a class of non-linear convex programmes which are encountered in limit analysis. These problems have second-order conic constraints and a single complicating variable in the objective function. The method is based on finding the distance between the feasible sets of the decomposed problems, and updating the global optimal value according to the value of this distance. The latter is found by exploiting the method of Averaged Alternating Reflections which is here adapted to the optimization problem at hand.

3 - Expanding Boundaries of Gap Safe Screening

Cassio Dantas, Emmanuel Soubies, Cédric Févotte

Safe screening techniques allow the early elimination of zero coordinates in the solution of sparse optimization problems. In this work, we extend the existing Gap Safe screening framework by relaxing the global strong-concavity assumption on the dual cost function. Local regularity properties are considered instead. Besides extending safe screening to a broader class of functions that includes beta-divergences (e.g., the Kullback-Leibler divergence), the proposed approach also improves upon the existing Gap Safe screening rules on previously applicable cases (e.g., logistic regression).

■ TD-02

Thursday, 15:15 - 16:30 - Turing

Advances in Douglas-Rachford method - Part I

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Cong Bang Vu

Chair: Dimitri Papadimitriou

1 - Split-Douglas-Rachford for composite monotone inclusions and Split-ADMM

Luis Briceño-Arias, Fernando Roldán

We provide a generalization of the Douglas-Rachford splitting (DRS) for solving monotone inclusions in a real Hilbert space involving a general linear operator. The proposed method activates the linear operator separately from the monotone operators appearing in the inclusion and, in the simplest case when the linear operator is the identity, it reduces to classical DRS. Moreover, the weak convergence of primal-dual sequences to a point in the extended solution set is guaranteed, generalizing Svaiter (2011). As in Gabay (1983), we derive a new Split-ADMM in the convex optimization setting.

2 - Anderson Accelerated Douglas-Rachford Splitting

Anqi Fu, Junzi Zhang, Stephen Boyd

We consider the problem of nonsmooth convex optimization with linear equality constraints, where the objective function is only accessible through its proximal operator. To solve it, we propose an Anderson accelerated Douglas-Rachford splitting (A2DR) algorithm, which we show either globally converges or provides a certificate of infeasibility/unboundedness. Applied to a block separable objective, A2DR partially decouples so its steps may be carried out in parallel, yielding an algorithm that is highly scalable. We describe an open-source implementation along with a variety of applications.

3 - Douglas-Rachford splitting and ADMM for nonconvex optimization: Accelerated and Newton-type algorithms

Lorenzo Stella, Andreas Themelis, Panagiotis Patrinos

We propose a new line-search extension to Douglas-Rachford splitting (DRS) and ADMM, that accelerates them with quasi-Newton directions. The algorithms are suited for nonconvex problems, require the same black-box oracle as the original methods, and maintain their (subsequential) convergence. Experiments show that using L-BFGS and Anderson acceleration directions greatly improves convergence over vanilla DRS and ADMM, making them more robust to ill-conditioning. Under regularity and nondegeneracy assumptions at the limit point, superlinear convergence is shown when using Broyden directions.

■ TD-03

Thursday, 15:15 - 16:30 - Nash

Advances in Variational Inequalities and Equilibrium Problems

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Robert Csetnek*

1 - Optimal emergency evacuation with uncertainties

Laura Rosa Maria Scrimali, Georgia Fargetta

Emergency management after crises or natural disasters is a very important issue shared by many countries. In particular, evacuation planning is a complex and challenging process that takes into account several elements. For this reason, optimization tools are fundamental to make policy makers predict or evaluate different disaster scenarios. In this talk, we present an emergency evacuation model where a population has to be evacuated from crisis areas to shelters and propose an optimization formulation for minimizing a combination of the transportation cost and the transportation time. In add

2 - A stochastic variational approach to study economic equilibrium problem under uncertainty

Domenico Scopelliti, Monica Milasi

This talk deals with an economic equilibrium problem under time and uncertainty. We suppose that the market evolves in a finite sequence of time periods; at final date different states of the world can occur. We first reformulate the equilibrium by means of a stochastic quasi-variational inequality. In view of this characterization we can give some qualitative and quantitative properties of equilibrium solutions. Our approach can fit in several decision-making problems where the characteristics elements are affected by uncertainty.

3 - A variational approach for international human migration networks with and without regulations

Patrizia Daniele, Anna Nagurney

International human migration has transformed economies and societies. The new millennium, with climate change and its impacts, and increasing conflicts and displacements, has experienced a great increase in international migrants, with associated challenges faced by governments. We propose the modeling, analysis, and solution of international human migration problems by developing a network model with and without regulations. The formalism uses the theory of variational inequalities, coupled with Lagrange analysis.

■ TD-04

Thursday, 15:15 - 16:30 - Lagrange

Polynomial Optimization II

Stream: Polynomial Optimization

Invited session

Chair: *Corbinian Schlosser*

1 - Topology optimization of discrete structures by polynomial optimization

Marek Tyburec, Jan Zeman, Martin Kružík, Didier Henrion

Although finding continuous cross-sections of minimum-compliance frame structures is a fundamental problem of structural design, only local optimization techniques are adopted. Here, we develop a semidefinite programming formulation with a non-convex polynomial matrix inequality constraint and solve it by the moment-sum-of-squares hierarchy. Besides lower bounds from the hierarchy, we recover a feasible solution in each relaxation, building a sequence of upper bounds. The gap between the bounds quantifies the solution quality and establishes a simple sufficient condition for global optimality.

2 - The approximation of measures by positive moment sequences

Lorenzo Baldi, Bernard Mourrain

To solve Polynomial Opt. problems Lasserre introduced the Moment Matrix hierarchy, approximating measures with a convex cone of positive linear functionals, and proved the convergence of optimal value to the minimum in the Archimedean case. We analyse the convex cone of truncated positive moment sequences and show that truncated measures with low rank moment matrix are extremal rays. We show the convergence in Hausdorff distance of a convex section of the outer approximation to probability measures, and describe the order of convergence using an effective version of Putinar Positivstellensatz.

3 - RAPOSa: a polynomial optimization solver

Brais González Rodríguez, Julio González-Díaz, Ángel Manuel González Rueda, Beatriz Pateiro-López, Diego Rodríguez Martínez, David R Penas

In this talk we will present RAPOSa, a new solver for polynomial optimization problems based on the reformulation linearization techniques (originally introduced by Serali and Tuncbilek in 1991). The current implementation incorporates most of the features discussed in past literature and other additional enhancements. The present version of the algorithm has proven to be very efficient, and comparisons with other global optimization solvers will be presented.

■ TD-05

Thursday, 15:15 - 16:30 - Pontryagin

Optimal Control and Optimization in Economics, Finance and Management I

Stream: Optimal Control and Optimization in Economics, Finance and Management

Invited session

Chair: *Ioannis Baltas*

1 - Stochastic differential games for optimal investment problems in a Markov regime-switching jump-diffusion market

Gerhard-Wilhelm Weber, Emel Savku

We apply dynamic programming principle to discuss two optimal investment problems by using zero-sum and nonzero-sum stochastic game approaches in a continuous-time Markov regime-switching environment. The first application is a zero-sum game between an investor and the market, and the second one formulates a nonzero-sum stochastic differential portfolio game as the sensitivity of two investors' terminal gains. We derive regime-switching Hamilton-Jacobi-Bellman-Isaacs equations and obtain explicit optimal portfolio strategies with Feynman-Kac representations of value functions.

2 - Random oligopolistic market optimal equilibrium control problem

Annamaria Barbagallo

The aim of the talk is to analyze the policymaker's point of view of the random oligopolistic market equilibrium problem and present a stochastic optimal control equilibrium problem. More precisely, we study a model in which control policies may be imposed to regulate the amounts of exportation in random way. Control policies are implemented by imposing higher taxes or subsidies in order to restrict or encourage the exportation. We prove that the system that controls the commodity exportations in random way is expressed by a stochastic inverse variational inequality.

3 - Optimal management of Defined Contribution pension funds during the distribution phase under the effect of inflation, mortality and uncertainty

Ioannis Baltas, Athanasios Yannacopoulos, Gerhard-Wilhelm Weber

We study the problem of optimal management of defined contribution (DC) pension funds, during the distribution phase, within a model uncertainty framework by taking into account the effect of (i) inflation and (ii) mortality. By employing robust control and dynamic programming techniques, we provide closed form solutions for the case of the exponential utility function. Moreover, we provide a detailed study of the limiting behavior of the associated stochastic differential game. Finally, we present a novel numerical approach that elucidates the effect of robustness and inflation.

■ TD-06

Thursday, 15:15 - 16:30 - Moreau

Applications of Optimization III

Stream: Applications of Optimization

Contributed session

Chair: *Jordan Ninin*

1 - Network models for the human migration phenomenon

Giorgia Cappello

Large-scale migration flows are posing immense challenges for governments around the globe. In this work we introduce and analyze different multiclass human migration network models under both user-optimizing and system-optimizing approaches, using tools of VI and Game theory. Four scenarios are proposed: in one model we introduce policy intervention, in the form of subsidies; in another model the locations associated with migration are subject to capacities; in another one we introduce regulations inspired by the Covid-19 pandemic. Some numerical examples are provided.

2 - An approach on efficiency measure for a fully fuzzy DEA

Manuel Arana-Jiménez

In this work, we deal with a model of Data Envelopment Analysis (DEA) problem whose inputs and outputs data can be given by means of fuzzy numbers, what derives a fully fuzzy DEA. We propose a new radial, input-oriented approach, based on arithmetic operations with fuzzy numbers, as well as LU-fuzzy partial order. We propose a method with two phases to assess the relative efficiency of each Decision Making Unit (DMU), and classify each DMU. In each phase a fully fuzzy linear programming is formulated, which is transformed into a related multiobjective optimization problem.

3 - Toolpath optimization for freeform surfaces machining

Mahfoud Herraiz, Jean-Max Redonnet, Marcel Mongeau, Mohammed Sbihi

A two-step optimization procedure, specifically dedicated to toolpath planning for milling of free-form surfaces is presented. A full optimization model is built relying on state-of-the-art black-box optimizations methods. Because of specific industrial needs, this procedure has to include a clustering phase and a milling simulation phase. Furthermore, given the context, calculation time is very important. Therefore, a surrogate model, based on Principal Component Analysis is defined. The approach is benchmarked with several test case surfaces, and results are presented and discussed.

Thursday, 16:50 - 18:30

■ TE-01

Thursday, 16:50 - 18:30 - Fermat

Optimization and Artificial Intelligence I

Stream: Optimization and Artificial Intelligence

Contributed session

Chair: Fabian Bastin

1 - Exploiting Sparse Decision Trees To Learn Minimal Rules

Tommaso Aldinucci

Decision tree algorithms have been one of the most famous and used algorithms in machine learning since the early 1980's. Given their intrinsic explainability, nowadays they are widely used in contexts where transparency is desired. In this work we propose a new heuristic strategy to extract minimal rules from decision trees. At first the algorithm builds a sparse structure then uses a local optimizer to improve the quality of the tree. We finally show that the rule set extracted from the final model can be often simplified using elementary rules of boolean logic.

2 - Improved Forward Selection Algorithms for Sparse Principal Component Analysis

Mustafa Pinar

Sparse PCA is a well-known NP-Hard problem where the principal components obtained are desired to be sparse. This is useful in various studies due to its interpretability and robustness. In literature, heuristics or SDP relaxations are used to solve this problem. In this study, we propose multiple novel heuristics using eigenvalue approximation such as Gershgorin Circle's to improve the performance of greedy forward selection methods. We have observed that our methods perform better in under-determined and high dimensional settings compared to the existent methods in the literature.

3 - Kernel Regression with Hard Shape Constraints

Pierre-Cyril Aubin, Zoltán Szabó

Regression problems typically involve shape constraints due to qualitative priors or physical constraints, such as positivity or monotonicity. This writes as an infinite number of pointwise inequalities. Dealing with reproducing kernel Hilbert spaces, I describe how to solve a strengthened problem with a finite number of second-order cone constraints with bound guarantees, and application to joint quantile regression, to Engel's law and to analyze vehicle trajectories. This approach is extended to linear-quadratic optimal control problems with state constraints.

4 - Leveraging deep reinforcement learning through the framework of operations research

Ysaël Desage, Fabian Bastin, François Bouffard

While research in the field of artificial intelligence has been booming in recent year, especially in the field of machine learning, most applications are still in their infancy.

In this perspective, we propose a hybrid innovative approach combining the performance and neologism of deep reinforcement learning with the reliable empirical and proven application framework of classical operations research. More concretely, we detail the proposed methodology before presenting the results on different problems and sub instances related to the power grid and the optimization of its actors.

■ TE-02

Thursday, 16:50 - 18:30 - Turing

Beyond First-order Optimization Methods for Machine Learning - Part II

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Fred Roosta

Chair: Albert Berahas

1 - Full-low evaluation type methods for derivative-free optimization

Luis Nunes Vicente, Albert Berahas, Oumaima Sohab

We propose a new class of methods for DFO that considers two types of iterations. The first is expensive in fevals, but performs well in the smooth, non-noisy case. We considered BFGS computed over gradients approximated by finite differences. The second is cheap in fevals, more appropriate under noise or non-smoothness. We considered probabilistic direct search with 2 random directions. The resulting method is globally convergent in the non-smooth case and yields the appropriate rates in the smooth case. Numerical results showed that it is efficient and robust for all types of problems.

2 - Invexification of Non-Linear Least-Squares Problems

Fred Roosta

We consider non-convex optimization problems involving a non-linear least-squares objective. We introduce a novel regularization framework whose corresponding objective function is not only provably invex, but it also satisfies the highly desirable Polyak-Lojasiewicz inequality for any choice of the regularization parameter. We then show that, under reasonable assumptions, gradient descent applied to the regularized problem converges exponentially fast to a solution for which the original unregularized objective value has a small sub-optimality. We give explicit bounds to show that such sub-op

3 - Inexact Restoration with Subsampled Trust-region methods for finite-sum minimization

Stefania Bellavia, Natasa Krejic, Benedetta Morini

In this talk we will focus on subsampling second order trust-region procedures combined with the Inexact Restoration approach for finite-sum minimization. The sample size of function approximations is computed through a deterministic rule inspired by the inexact restoration method and the trust-region step is either accepted or rejected using a suitable merit function. We discuss the local and global properties for finding approximate first and second-order optimal points and show results from the numerical experience.

4 - Retrospective Approximation for Stochastic Optimization

Raghu Bollapragada

We present Retrospective Approximation as a universal sequential sample-average approximation paradigm where during each iteration, a sample-path approximation problem is implicitly generated using an adapted sample size, and solved to an adapted error tolerance, using a “deterministic method” such as the line search quasi-Newton method. The principal advantage of RA is that decouples optimization from stochastic approximation, allowing the direct adoption of existing deterministic algorithms without modification, thus mitigating the need to redesign algorithms for the stochastic context.

5 - Global optimization using random embeddings

Estelle Massart, Coralia Cartis, Adilet Otemissov

We present a general random subspace algorithmic framework for global optimization and analyse its convergence using tools from conic integral geometry and random matrix theory. We then particularise this framework and analysis for the class of functions with low effective dimension. We show that its convergence does not depend on the ambient dimension, and are able to estimate the effective dimension in the run of the algorithm. Encouraging numerical results are also presented that use local or global solvers in the subspace.

■ TE-03

Thursday, 16:50 - 18:30 - Nash

Optimal Control and Applications I

Stream: Optimal Control and Applications

Contributed session

Chair: *Theodore Trafalis*

1 - Optimal control problems on stratified spaces

Othmane Jerhaoui

We are interested in control problems on stratified spaces. In such problems, the state variable space is partitioned in different manifolds with boundary glued together along their boundaries. Each manifold is associated with a compact control set, a controlled dynamics and a cost function. We are interested in analyzing the set of trajectories, and in characterizing the value function. Moreover, we will discuss some numerical schemes for such control problems. Finally, we discuss some generalizations of this problem on some metric spaces resembling this setting called Aleksandrov spaces.

2 - Zero-Sum Deterministic Differential Game in Infinite Horizon with Continuous and Impulse Controls

Hafid Lalioui

We consider a zero-sum deterministic differential game with two players adopting both continuous and impulse controls in infinite time horizon. The form of impulses supposed to be of general term (depends on non linear functions) and the cost of impulses being arbitrary (depends on the state of the system). We use the dynamic programming principle (DPP) and the viscosity solution approach to prove that the value function turns out to be, under Isaacs condition, the unique viscosity solution to the corresponding Hamilton-Jacobi-Bellman-Isaacs (HJBI) variational inequalities (QVIs).

3 - Mixed Zero-Sum Stochastic Differential Game and Doubly Reflected BSDEs with a Specific Generator.

Nacer Ourkiya

This paper studies the mixed zero-sum stochastic differential game problem. We allow the functionals and dynamics to be of polynomial growth. The problem is formulated as an extended doubly reflected BSDEs with a specific generator. We show the existence of solution for this doubly reflected BSDEs and we prove the existence of a saddle-point of the game. Moreover, in the Markovian framework we prove that the value function is the unique viscosity solution of the associated Hamilton-Jacobi-Bellman equation.

4 - Learning-Based Nonlinear H-infinity Control via Game-Theoretic Differential Dynamic Programming

Wei Sun, Theodore Trafalis

We present a learning-based nonlinear H-inf control algorithm that guarantees system performance under learned dynamics and disturbance estimate. The Gaussian Process regression is utilized to update the dynamics of the system and provide disturbance estimate based on data gathered by the system. A soft-constrained differential game associated with the disturbance attenuation problem in nonlinear H-inf control is then formulated to obtain the nonlinear H-inf controller. The differential game is solved through the Game-Theoretic Differential Dynamic Programming algorithm in continuous time.

■ TE-04

Thursday, 16:50 - 18:30 - Lagrange

Advanced Optimization Methods I

Stream: Advanced Optimization Methods

Contributed session

Chair: *Marat Mukhametzhonov*

1 - Reduced-Order Parameter Optimization by Sequential ALIENOR method*Daniele Peri*

Space Filling Curves (SFC) are a class of curves that completely covers a portion of a N-dimensional space asymptotically: an arbitrary position of the space is then associated with a single parameter (the curved abscissa along the SFC). This way, an N dimensional optimization problem can be converted in a 1D problem (ALIENOR method). In this paper a sequential approach using SFC is presented, managing hundreds of design variables: solution is obtained by iteratively focusing on smaller and smaller portions of the feasible set. An industrial application is also presented.

2 - Univariate Lipschitz Global Optimization Methods for Finding the Shape Parameter Value in Radial Basis Functions*Marat Mukhametzhano, Yaroslav Sergeev*

Radial basis function (RBF) interpolation is considered in this talk. It is well-known that the value of the shape parameter of the RBFs has a strong impact on both the accuracy and stability of the results. It has been proposed recently to use univariate Lipschitz global optimization methods for finding an optimal value of the parameter. Locally-biased versions of the well-known "Divide-the-best" algorithms are presented for this purpose. Numerical experiments on several randomized and real-life test problems show the advantages of proposed the techniques.

3 - On a new shape derivative formula based approach for a shape optimization problem with constrained coupled problems*Azeddine Sadik, Abdesslam Boulkhemair, Abdelkrim Chakib*

In this paper, we deal with numerical method for the approximation of a class of coupled shape optimization problem, which consist in minimizing an appropriate general cost functional subjected to coupled boundary value problems by means of a Neumann boundary transmission condition. We show the existence of the shape derivative of the cost functional and express it by means of support functions. Then the numerical discretization is performed using the dual reciprocity boundary element method. Finally, we give some numerical results, showing the efficiency of the proposed approach.

4 - Piecewise Linear Bounding of the Euclidean Norm*Alois Duguet, Christian Artigues, Laurent Houssin, Sandra Ulrich Ngueveu*

In the field of piecewise linear approximation of nonlinear functions, few studies focused on the minimization of the number of pieces for a given error bound. In this talk we focus on the euclidean norm defined on a plane, and we first show how to use scalar products with regularly spaced unit vectors in order to compute piecewise linear approximations with the minimum number of pieces for a given relative error bound. Then we extend the approach to norms with elliptic level sets. An application to the beam layout problem validates the tractability of the method.

■ TE-05*Thursday, 16:50 - 18:30 - Pontryagin***Optimal Control and Optimization in Economics, Finance and Management II**

Stream: Optimal Control and Optimization in Economics, Finance and Management

*Invited session*Chair: *Gerhard-Wilhelm Weber***1 - Risk measure and portfolio selection***Ben Hssain Lhoucine, Ghizlane Lakhnati*

This paper deals with risk measurement and portfolio optimization under risk constraints. Firstly, we give an overview of Extended Gini shortfall (EGS), a special type of Spectral Measures of Risk that extends the Gini-type measures of risk and variability. We subsequently considering the portfolio problems based on Extended Gini shortfall and gets some useful results.

2 - Investigating the reliability of the RBF method for solving some optimal control problems in Dynamic Investment*Ahmad Saeedi, Ahamd Golbabai*

In this paper we have developed a MATLAB code based on Radial Basis Function (RBFs) for solving optimal control problems arising in Dynamic Economic Models. Some operational matrices has been produced which helps to reduce the computational cost. The proposed method has good accuracy but it suffers from ill-conditioning. In order to produce more reliable solutions, the effective condition number and some strategies including BiCGSTAB and GMRES iterative solution methods have been used.

3 - Market making policy for high-frequency trading*Francis Huot-Chantal, Fabian Bastin, Gabriel Yergeau*

We describe a quoting policy for market making based on inventory models optimization, leading to a threshold policy, in the context of high-frequency trading. In our model, the market maker aims to maximize his profit while providing liquidity to the stock market and keeping the risk at a reasonable level. We assess the policy performance in terms of profitability and robustness using backtesting and agent-based simulation. Various simulation frameworks are considered, using policies based on time intervals or discrete events, and a zero-intelligence policy as a baseline.

■ TE-06*Thursday, 16:50 - 18:30 - Moreau***Optimization under Uncertainty and Applications II**

Stream: Optimization under Uncertainty and Applications

*Contributed session*Chair: *Riccardo Cambini*

1 - An integrated multi-echelon robust closed- loop supply chain under imperfect quality production*Theodore Trafalis, Ismail Almaraj*

In this paper, we consider a novel closed loop supply chain design consisting of multiple periods and multiple echelons. The models are considered under imperfect quality production with multiple uncertainties to provide meaningful solutions to practical problems. In addition, we assume that the screening is not always perfect, and inspection errors are more likely to take place in practice. We measure the amount of quality loss as conforming products deviate from the specification (target) value. In our study, we develop three robust counterparts models based on box, polyhedral, and combined.

2 - Robust Two-stage Polynomial Optimization*Bissan Ghaddar, Olga Kuryatnikova, Daniel Molzahn*

In this work we consider two-stage polynomial optimization problems under uncertainty. We combine tools from polynomial and robust optimization to provide a framework for general adjustable robust polynomial optimization problems. In particular we propose an iterative algorithm to build a sequence of (approximately) robustly feasible solutions with an improving objective value and verify robust feasibility or infeasibility of the resulting solution under a semialgebraic uncertainty set. We implement our approach for a use-case in energy systems to show the performance of the proposed approach.

3 - Hierarchical Fleet Mix Problems with risk-aversion: a CVaR approach*Riccardo Cambini, Rossana Riccardi*

In this paper a two-stage stochastic hierarchical workforce model is studied from both a theoretical and an algorithmic point of view. In the considered hierarchical model workforce units can be substituted by higher qualified ones; external workforce can also be hired to cover unfulfilled jobs. Demand for jobs is assumed to be stochastic. The results of a computational test are provided in order to validate the model.

Friday, 9:00 - 10:40

■ FA-01

Friday, 9:00 - 10:40 - Fermat

Mathematical Analysis of Optimization Methods I

Stream: Mathematical Analysis of Optimization Methods

Contributed session

Chair: David Müller

1 - Decompositions and projections with respect to some classes of non-symmetric cones

Jin-Shan Chen

In this talk, we focus on issues of decompositions and projections w.r.t. some classes of non-symmetric cones. These concepts and the obtained results pave a way to deal with non-symmetric cone optimization.

2 - Strong duality, boundedness and a theorem of the alternatives in conic optimization

Akshay Gupte

Besides strict feasibility, there are other sufficient conditions for strong duality in conic optimization that are somewhat less well-known, these being a closedness condition and boundedness of feasible region inside a pointed cone. We generalize the closedness condition and show that the other two follow as a consequence of it. We also give an alternate proof for the result that if one problem is strictly feasible then it has finite optimum if and only if the other problem is feasible. Finally, we also give a theorem of the alternative that generalizes what is known for proper cones.

3 - Properties of Generalized Oriented Distance Function and its Applications to Set Optimization Problems

Pradeep Kumar Sharma

In this talk, we discuss several interesting properties of generalized oriented distance function with respect to co-radiant sets and free disposal sets, which are more general than a cone. In particular, we deal with some special properties, like, translativity, sub-additivity and monotonicity properties using co-radiant sets so that this function can be used as a coherent measure of investment in financial mathematics. As an application, we study some optimality conditions for quasi-minimal solutions for set optimization problems.

4 - Discrete choice prox-functions on the simplex

David Müller

We derive new prox-functions on the simplex from additive random utility models of discrete choice. They are convex conjugates of the corresponding surplus functions. In particular, we explicitly derive the convexity parameter of discrete choice prox-functions associated with generalized extreme value models and specifically with generalized nested logit models. Incorporated into subgradient schemes, discrete choice prox-functions lead to natural probabilistic interpretations of the iteration steps. We also discuss an economic application of discrete choice prox-functions in consumer theory.

■ FA-02

Friday, 9:00 - 10:40 - Turing

Beyond First-order Optimization Methods for Machine Learning - Part III

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Fred Roosta

Chair: Albert Berahas

1 - Large-scale derivative-free optimization using subspace methods

Lindon Roberts, Coralia Cartis

In existing techniques for model-based derivative-free optimization, the computational cost of constructing local models and Lagrange polynomials can be high. As a result, these algorithms are not as suitable for large-scale problems as derivative-based methods. In this talk, I will discuss a model-based derivative-free algorithm based on exploration of random subspaces, its worst-case complexity bounds, and some numerical results.

2 - Efficient Newton Methods for Robust Stochastic Nonconvex Optimization

Thomas O'Leary-Roseberry, Nick Alger, Omar Ghattas

In this talk we explore how low dimensional geometric information of Hessians arising in stochastic nonconvex optimization problems can be used to design matrix-free Newton methods that have similar per-iteration computational complexity to first order methods. These methods can reduce the dependence on hyperparameters and improve convergence. Further these methods can be adapted to guard against overfitting by using the Hessian to detect noise dominated geometric information of the stochastic energy landscape.

3 - A stochastic second order-type extra-step scheme for nonsmooth nonconvex optimization

Andre Milzarek, Minghan Yang, Zaiwen Wen, Tong Zhang

We present a stochastic second order-type extra-step method for solving nonsmooth nonconvex optimization problems. We assume that gradient and Hessian information of the smooth part of the objective function can only be approximated. Our method combines stochastic higher order steps for an underlying optimality condition with stochastic proximal steps to ensure convergence in expectation. A variant of our approach using variance reduction is discussed and we show that it enjoys better convergence properties. Numerical results on logistic regression and sparse deep learning are provided.

4 - Doubly Adaptive Scaled Algorithm for Machine Learning Using Second-Order Information

Martin Takac, Majid Jahani, Sergey Rusakov, Zheng Shi, Peter Richtarik, Michael Mahoney

This paper presents a novel adaptive optimization algorithm for large-scale machine learning problems. Equipped with a low-cost estimate of local curvature and Lipschitz smoothness, our method dynamically adapts the search direction and step-size. The search direction contains the gradient information well-scaled by a diagonal preconditioning matrix that captures the local curvature information. Our methodology does not require the tedious task of learning rate tuning, as the learning rate is updated automatically without adding an extra hyper-parameter.

■ FA-03

Friday, 9:00 - 10:40 - Nash

Equilibria, variational models and applications

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Mauro Passacantando*

1 - Multi-Leader-Follower Potential Games

Steffensen Sonja

We discuss a particular class of Nash games, where the participants of the game (the players) are divided into two groups (leaders and followers) according to their position or influence on the other players. Moreover, we consider the case, when the leaders' and/or the followers' game can be described as a potential game. This is a subclass of Nash games that has been introduced by Monderer and Shapley in 1996. We develop necessary and sufficient conditions for Nash equilibria and present existence and uniqueness results. Furthermore, we discuss some Examples to illustrate our results.

2 - A Decomposition Algorithm for Nash Equilibria in Intersection Management

Andreas Britzelmeier, Axel Dreves

We consider autonomous vehicles that communicate in order to find optimal and collision free driving strategies. Resulting in coupled optimal control problems with nonconvex shared constraints and we consider a generalized Nash equilibrium reformulation of the problem. To handle the nonconvexity, we employ a partial penalty approach and reformulate the problem as a generalized potential game. We propose a decomposition algorithm with penalty selection to avoid a priori hierarchies. Using dynamic programming, we prove convergence of our algorithm. Providing numerical and experimental results.

3 - Lagrange multipliers for a non-constant gradient constraint problem

Sofia Giuffre'

Aim of the talk is to show the existence of Lagrange multipliers associated with linear variational inequalities with a non-constant gradient constraint over convex domains. In particular, first we show the equivalence between the non-constant gradient constrained problem and a suitable obstacle problem, where the obstacle solves a Hamilton-Jacobi equation in the viscosity sense. Then, we obtain the existence of Lagrange multipliers associated to the problem. The results have been obtained, using the strong duality theory.

4 - Radial solutions to a nonconstant gradient constraint problem

Attilio Marciandò, Sofia Giuffre'

Our work deals of radial solutions to a nonconstant gradient constraint problem in a ball of \mathbb{R}^n and the Lagrange multipliers associated with the problem. The problem is formulated by means of a variational inequality and under a suitable assumption we obtain, for $n = 2$, a necessary and sufficient condition, characterizing the free boundary. In particular, this condition allow us to define the explicit solution and the Lagrange multiplier. Finally, some examples illustrate the results.

■ FA-04

Friday, 9:00 - 10:40 - Lagrange

Multiobjective Mixed Integer Optimization

Stream: Multiobjective Optimization

Invited session

Chair: *Marianna De Santis*

Chair: *Gabriele Eichfelder*

1 - An objective space based algorithm for biobjective mixed integer programming problems

Firdevs Ulus, Ozlem Karsu, Deniz Emre

We propose an objective space based exact solution algorithm for biobjective mixed integer programming problems. The algorithm solves scalarization models in order to explore predetermined regions of the objective space called boxes, defined by two nondominated points. At each iteration of the algorithm, a box is explored either by a weighted sum or a Pascoletti-Serafini scalarization to determine nondominated line segments and points. We demonstrate the applicability of the algorithm through computational experiments.

2 - Toward a Branch-and-Bound Algorithm for Biobjective Mixed Integer Quadratic Programs

Margaret Wieczek

Biobjective quadratic programs with mixed-integer variables (BOMIQPs) model decision making situations encountered in finance, economics, engineering, and other areas of human activity. We present the work we have accomplished so far toward development of a branch and bound (BB) algorithm for convex BOMIQPs. The algorithm consists of the following components: (i) algorithms for solving auxiliary single objective parametric quadratic programs; (ii) fathoming rules; (iii) branching rules; (iv) rules to establish (non)dominance between sets; (v) rules for updating the incumbent nondominated set.

3 - Finding nondominated and efficient solutions of multiobjective integer quadratic programming problems

Marianna De Santis, Gabriele Eichfelder

We present a deterministic method for minimizing multiple quadratic objective functions over integer variables. Our method looks for efficient points by fixing subsets of variables to integer values and by using lower bounds in the form of hyperplanes in the image space derived from the continuous relaxations of the restricted objective functions. We show that the algorithm finds all efficient and all nondominated points after finitely many fixings of variables. Numerical examples on bi-objective instances as well as on instances with three and four objectives are shown.

4 - Pareto Front Approximation through a Multi-objective Augmented Lagrangian Method

Pierluigi Mansueto, Matteo Lapucci, Guido Cocchi

In this work, we propose an extension of a multi-objective augmented Lagrangian Method from recent literature suitable for smooth convex constrained multi-objective optimization problems. The new algorithm is designed to handle sets of points and produce good Pareto front approximations, as opposed to the original one which converges to a single solution. We prove properties of Pareto stationarity global convergence for the sequences of points generated by our method. We then compare it with main state-of-the-art algorithms on some problems, showing its effectiveness and general superiority.

■ FA-05

Friday, 9:00 - 10:40 - Pontryagin

Optimization and Artificial Intelligence II

Stream: Optimization and Artificial Intelligence

Contributed session

Chair: Sébastien Gerchinovitz

1 - K-Quant: a non uniform post-training quantization algorithm

Enrico Civitelli, Leonardo Taccari, Fabio Schoen

Quantization is a simple yet effective way to deploy deep neural networks on resource-limited hardware. Post-training quantization algorithms are particularly interesting because they do not require the full dataset to run. In this work we explore a way to perform non uniform post-training quantization using an optimization algorithm to minimize the output differences between each compressed layer and the original one. The proposed method significantly reduces the memory required by the neural network without affecting the performance in terms of accuracy.

2 - An Adaptive ML-Based Discretization Method for Computing Optimal Experimental Designs

Philipp Seufert, Jan Schwientek, Tobias Seidel, Michael Bortz, Karl-Heinz Küfer

Standard algorithms for the computation of optimal experimental designs (OED) consist of an inner point acquisition and an outer weight optimization. Whereas the latter is a convex problem, the inner one is a general non-convex non-linear program with implicitly given objective. We present a modification of the common OED solution approach which uses Bayesian optimization to adaptively form a grid of candidate points for determining the optimal design. We proved convergence of the algorithm to a locally optimal continuous design and obtained promising numerical results on real-world problems.

3 - Sparse RBF Regression for the Optimization of Noisy Expensive Functions

Alessio Sortino, Matteo Lapucci, Fabio Schoen

Global optimization problems for black-box functions are usually addressed by building a surrogate model over the data and an acquisition function to decide where to place the next observation. When data are noisy the surrogate should not trust the latter too much. This typically introduces an extra hyperparameter into the model that corresponds to the variance of the noise. In this work we present a novel approach where a robust RBF-based surrogate model is built from the solution of a particular MIQP problem. Experimental results show the effectiveness of our approach w.r.t. existent methods

4 - On the optimality of the Piyavskii-Shubert algorithm for global Lipschitz optimization: a bandit perspective

Clément Bouttier, Sébastien Gerchinovitz, Tommaso Cesari

We consider the problem of maximizing a non-concave Lipschitz multivariate function over a compact domain by sequentially querying its (possibly perturbed) values. We study a natural algorithm originally designed by Piyavskii and Shubert in 1972, for which we prove new bounds on the number of evaluations of the function needed to reach or certify a given optimization accuracy. Our analysis uses a bandit-optimization viewpoint and solves an open problem from Hansen et al. (1991), by bounding the number of evaluations to certify a given accuracy with a simple and optimal integral.

■ FA-06

Friday, 9:00 - 10:40 - Moreau

Derivative-Free Optimization II

Stream: Derivative-Free Optimization

Invited session

Chair: Clément Royer

1 - Distributed Derivative-Free Optimization*Vyacheslav Kungurtsev*

There are a number of situations in which multiple agents are seeking to cooperatively solve a central optimization problem using a combination of computations using local information and communication across a network modeled as a graph. In contexts arising from hyperparameter tuning or the cooperative control of functions defined by simulations, these problems are derivative free. In this talk we study the classical DFO algorithms adapted for distributed optimization. The theoretical properties and numerical performance is presented and assessed.

2 - Derivative-free optimization for large-scale structured problems*Andrea Cristofari, Francesco Rinaldi*

In this talk, a derivative-free algorithm is proposed to minimize a black-box objective function over the convex hull of a given set of points. At each iteration, the approach suitably handles a reduced problem, based on an inner approximation of the feasible set. This inner approximation is dynamically updated by using rules that in general allow us to keep the dimension of the problem small. Theoretical convergence results and numerical comparison with state-of-the-art DFO solvers will be presented.

3 - A stochastic Levenberg-Marquardt method using random models*Clément Royer, El houcine Bergou, Youssef Diouane, Vyacheslav Kungurtsev*

In this talk, we describe a stochastic Levenberg-Marquardt algorithm that handles noisy objective function values and random models. Provided the probability of accurate function estimates and models is sufficiently large, we are able to endow our proposed framework with global convergence rates. Our results rely on both a specific scaling of the regularization parameter and a measure of criticality tailored to least-squares problems. We compare our approach with several rates available for stochastic algorithms, and discuss the assumptions under which these schemes can be analyzed.

4 - A Derivative-free Adaptation of the Penalty Decomposition Method for Sparse Optimization*Matteo Lapucci, Marco Sciandrone*

We consider the problem of minimizing a smooth function with cardinality constraint. A well-known approach to tackle such problem is the Penalty Decomposition (PD), which requires to exactly solve subproblems in the dimension of the original problem. In this talk, we present a derivative-free PD algorithm, where the exact minimization step is replaced by inexact line searches along suitable sets of directions. We state theoretical convergence properties of the proposed algorithm equivalent to those of the original gradient-based PD method. Finally, we show the results of preliminary experiments

Friday, 11:00 - 12:40

■ FB-01

Friday, 11:00 - 12:40 - Fermat

Mathematical Analysis of Optimization Methods II

Stream: Mathematical Analysis of Optimization Methods

Contributed session

Chair: Jean-Baptiste Hiriart-Urruty

1 - The simplest KKT and FJ optimality conditions via subdifferential calculus of pointwise suprema

Abderrahim Hantoute

We present first some new characterizations of the subdifferential of pointwise suprema. Compared to the previous results in the literature, the present ones are given only by means of the data functions. So, no need to consider the normal cone to the domain of the supremum nor to require intersections over finite-dimensional subspaces. Based on this, we develop some new KKT and FJ optimality conditions for a general convex optimization problem with (possibly) infinitely many constraints. The results discussed here are based on a recent work joint with M. A. López and R. Correa.

2 - Optimality conditions for an exhausterable function on an exhausterable set

Majid Abbasov

Exhausters were proposed by V.F. Demyanov. These are families of convex compact sets that allow one to represent the directional derivative of the studied function at a point in the form of minmax or maxmin of linear functions. Functions for which such a representation is valid we call exhausterable. The set which is defined via exhausterable function is also called exhausterable. In the present work we describe optimality conditions for an exhausterable function on an exhausterable set.

The reported study was supported by Russian Science Foundation (RSF), project No. 20-71-10032

3 - Minimal sublinear functions and application to Cut Generating Functions

Alberto Zaffaroni

Given a convex set V , its recession hull consists in taking the intersection of all translates of the recession cone which contain V . We first study its main features and characterizations. Based on this, we study minimality of sublinear functions, among those for which the 1-lower level set has a prescribed recession cone. We prove that if F is recession minimal, then its lower 1-level set is regular, in the sense that it coincides with its recession hull. At last we apply the results above to Cut Generating Functions, and provide a complete characterization of minimal CGFs.

4 - A fresh geometrical look at the general S-procedure

Jean-Baptiste Hiriart-Urruty, Michel De Lara

We revisit the S-procedure for general functions with "geometrical glasses". We thus delineate a necessary condition, and almost a sufficient one, to have the S-procedure valid. Everything is expressed in terms of convexity of augmented sets (convex hulls, conical hulls) of images built from the data functions.

■ FB-02

Friday, 11:00 - 12:40 - Turing

Advances in Douglas-Rachford method - Part II

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: Cong Bang Vu

Chair: Dimitri Papadimitriou

1 - Shadow Douglas-Rachford splitting

Matthew Tam

In this talk, I will introduce the shadow Douglas-Rachford method for finding a zero in the sum of two monotone operators where one is assumed to be single-valued and Lipschitz continuous. This algorithm naturally arises from a non-standard discretisation of a continuous dynamical system associated with the Douglas-Rachford splitting algorithm. More precisely, it is obtained by performing an explicit, rather than implicit, discretisation with respect to one of the operators involved. Each iteration of the proposed algorithm requires the evaluation of one forward and one backward operator.

2 - The Cyclic Douglas-Rachford Algorithm with r-sets-Douglas-Rachford Operators

Aviv Gibali, Francisco Javier Aragón Artacho, Yair Censor

The Douglas-Rachford (DR) algorithm is an iterative procedure that uses sequential reflections onto convex sets and which has become popular for convex feasibility problems. In this talk we present a structural generalization that allows to use r-sets-DR operators in a cyclic fashion and also demonstrates great computational advantages over existing results.

3 - Forward-partial inverse-half-forward splitting algorithm for solving monotone inclusions with applications

Yuchao Tang

In this paper, we propose a forward-partial inverse-half-forward splitting (FPIHFS) algorithm for finding a zero of the sum of a maximally monotone operator, a monotone Lipschitzian operator, a cocoercive operator, and a normal cone of a closed vector subspace. The FPIHFS algorithm is derived from a combination of the partial inverse method with the forward-backward-half-forward splitting algorithm. As applications, we apply it to solve the Projection on Minkowski sums of convex sets problem and the generalized Heron problem.

4 - Multivariate Monotone Inclusions in Saddle Form

Patrick Combettes, Minh Bui

We propose a novel approach to monotone operator splitting based on the notion of a saddle operator. We study a highly structured multivariate monotone inclusion problem involving a mix of set-valued, cocoercive, and Lipschitzian monotone operators, as well as various monotonicity-preserving operations among them. This leads to an algorithm of unprecedented flexibility, which achieves full splitting, uses the specific attributes of each operator, is asynchronous, and requires to activate only blocks of operators at each iteration, as opposed to all of them. Applications are presented.

■ FB-03

Friday, 11:00 - 12:40 - Nash

Game theory, multilevel and dynamic optimization II

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Giancarlo Bigi*

1 - Near-Optimal Robust Bilevel Optimization

Miguel F. Anjos, Mathieu Besançon, Luce Brotcorne

We introduce near-optimal robustness for bilevel optimization problems to protect the upper-level decision-maker from bounded rationality at the lower level. We show that it is a restriction of the corresponding pessimistic bilevel problem. Essential properties are derived in generic and specific settings. This model has an intuitive interpretation in various situations cast as bilevel optimization problems. We develop a duality-based solution method for cases where the lower level is convex. The models obtained are successfully tested numerically using different solvers and formulations.

2 - A Bilevel Optimization Model for Generative Adversarial Networks

Zeynep Suvak, Miguel F. Anjos, Luce Brotcorne, Diego Cattaruzza

A generative adversarial network is a framework to model an adversarial process where a generator produces data and a discriminator decides whether the data is real or fake. We focus on the example where the generator is a counterfeiter producing fake banknotes and the discriminator is the police trying to detect the fakes. This problem is formulated as a bilevel optimization problem where the counterfeiter determines the banknotes to be given to the police and the police decides which features to use to check authenticity. The details of the model and computational results will be presented.

3 - Best response approaches for optimization problems with equilibrium constraints

Maria Carmela Ceparano, Francesco Caruso, Jacqueline Morgan

We consider a one-leader two-follower Stackelberg game where the leader's payoff depends on the followers' actions but the followers' payoffs do not depend on the leader's actions. We first present a theoretical method exploiting affine relaxations of the classical best response algorithm which globally converges to an equilibrium for a class of Stackelberg games where the uniqueness of the Nash equilibrium of the game played by the followers is ensured. Then, the convergence of a derivative-free numerical method will be shown, together with error bounds.

4 - An explicit Tikhonov algorithm for nested variational inequalities

Lorenzo Lampariello, Christoph Neumann, Jacopo Maria Ricci, Simone Sagratella, Oliver Stein

We consider nested variational inequalities consisting in a (upper-level) variational inequality whose feasible set is given by the solution set of another (lower-level) variational inequality. Purely hierarchical convex bilevel optimization problems and certain multi-follower games are particular instances of nested variational inequalities. We present an explicit and ready-to-implement Tikhonov-type solution method for such problems. We give conditions that guarantee global strong convergence of the proposed method and we provide a convergence rate analysis.

■ FB-04

Friday, 11:00 - 12:40 - Lagrange

Numerical Methods for Multiobjective Optimization

Stream: Multiobjective Optimization

Invited session

Chair: *Leo Warnow*

Chair: *Gabriele Eichfelder*

1 - An efficient descent method for locally Lipschitz multiobjective optimization problems

Bennet Gebken

In this talk, we propose a new descent method for MOPs with locally Lipschitz objective functions and afterwards combine it with the subdivision method to compute the whole Pareto set. The descent direction is based on epsilon-subdifferentials, which are iteratively enriched with gradient information until a satisfying direction is found. Combined with a modified Armijo step length, we prove convergence of the method to points that satisfy a necessary condition for Pareto optimality. Finally, the descent method is inserted into the subdivision method to compute the whole Pareto set.

2 - Worst-case complexity bounds of directional direct-search methods for multiobjective derivative-free optimization

Rohollah Garmanjani, Ana Luisa Custodio, Youssef Diouane, Elisa Riccietti

Direct Multisearch (DMS) is a well-established class of algorithms for multiobjective derivative-free optimization. We analyze the worst-case complexity of this class of methods in its most general form, for the class of nonconvex smooth functions. We then focus on a particular instance of DMS, which considers a stricter criterion for accepting new nondominated points and has a worst-case complexity bound similar to the one obtained for gradient descent for the same class of problems (of the order of a threshold raised to the power -2 , for driving a criticality measure below this threshold).

3 - A norm-minimization based convex vector optimization algorithm

Muhammad Umer, Firdevs Ulus, Cagin Ararat

We propose an algorithm to generate inner and outer polyhedral approximations to the upper image of a bounded convex vector optimization problem. It is an outer approximation algorithm and is based on solving norm minimizing scalarizations, which differ from Pascolleti-Serafini scalarization in a sense that it does not involve a direction parameter. Therefore, the algorithm is free from direction biasedness. The finiteness of the algorithm is shown, and the convergence rate of the algorithm is studied under additional assumptions.

4 - Computing a box-coverage for multi-objective optimization problems

Leo Warnow, Gabriele Eichfelder

In this talk, we present how to compute a box-coverage of the nondominated set of a continuous multi-objective optimization problem. To do so, we use an approach that, in general, allows us to update not only one but several boxes whenever a new nondominated point is found. We also present some key results for that algorithm. For example we show that we can guarantee an improvement of the boxes in each iteration and that the algorithm terminates in finite time with a finite number of boxes.

■ FB-05

Friday, 11:00 - 12:40 - Pontryagin

Optimal Control and Applications II

Stream: Optimal Control and Applications

Contributed session

Chair: *Björn Martens*

1 - A new approach for solving the multi-dimensional control optimization problems with first-order PDEs constraints

Anurag Jayswal, Tadeusz Antczak, Preeti Kardam

This paper aims to solve the multi-dimensional control optimization problem involving first-order PDEs constraints (MCOP). Firstly, we apply the modified objective function approach to (MCOP) and show that the solution sets of the original problem and its associated modified problem are equivalent. Further, we apply the penalty function method to transform the modified problem into an equivalent penalized problem. We also establish the relationship between a saddle-point of the modified problem and a minimizer of its penalized problem. We also give examples to verify the establish results.

2 - Multimaterial topology optimization of a heated channel

Alexandre Vieira

The presentation will deal with a topology optimization problem in a heated channel. The problem, modelled using the incompressible Navier-Stokes equations coupled with the convection-diffusion equation, consists in minimizing pressure drop and maximizing heat transfer for some application in reduced mechanical air conditioning. The analysis focuses on the existence of a solution, the convergence of the numerical approximation using finite elements (including the convergence of the approximated optimum, using controls in BV), and the effect of using multiple materials to design the topology.

3 - On Preconditioners for PDE-Constrained Optimization Problems with Higher-Order Discretization in the Time Variable

Santolo Leveque, John Pearson

Optimization problems with PDE constraints arise in numerous scientific applications. In this talk, we consider preconditioners for time-dependent PDE optimization, suitably discretized in time. The state-of-the-art is to apply a backward Euler method; this leads to desirable structures within the resulting matrix system, and effective preconditioners, but only a first-order accurate method. Here we present a second-order method, using Crank-Nicolson in time, and a new preconditioner for the more complex matrix. We show that this approach can obtain a more accurate solution in less CPU time.

4 - Convergence analysis for approximations of optimal control problems subject to higher index differential-algebraic equations and mixed control-state constraints

Björn Martens, Matthias Gerds

This paper establishes a convergence result for implicit Euler discretizations of optimal control problems with DAEs of higher index and mixed control-state constraints. The main difficulty of the analysis is caused by a structural discrepancy between the necessary conditions of the continuous problem and the necessary conditions of the discretized problems. This discrepancy does not allow one to compare the respective necessary conditions directly. We use an equivalent reformulation of the discretized problems to overcome this discrepancy and to prove first order convergence.

■ FB-06

Friday, 11:00 - 12:40 - Moreau

Advanced Optimization Methods II

Stream: Advanced Optimization Methods

Contributed session

Chair: *Jacek Gondzio*

1 - New Bregman proximal type algorithms for solving DC optimization problems*Shota Takahashi, Mituhiro Fukuda, Mirai Tanaka*

Difference of convex (DC) optimization problems have objective functions that are differences of two convex functions. A proximal DC algorithm (PDCA) solves large-scale DC optimization problems, assuming the L-smoothness of objective functions. In this talk, using the Bregman distances, we propose a Bregman proximal DC algorithm (BPDCA) that does not require the L-smoothness. In addition, accelerating the BPDCA by the extrapolation technique, we propose the Bregman proximal DC algorithm with extrapolation (BPDCAe).

2 - Parameter tuning of linear programming solvers*Nikolaos Ploskas*

Linear programming solvers have a large set of parameters that allow users to control algorithmic aspects. Tuning solver options may have a considerable impact on solver performance. Previous efforts to tune solver parameters have used derivative-free optimization algorithms. In this work, we apply various derivative-free optimization solvers in order to find high quality tuning parameters for linear programming solvers. This work investigates how sensitive linear programming solvers are to a parameter tuning process. We present extensive computational results.

3 - A modified barrier method with algebraic multigrid solver*Alexander Brune, Michal Kocvara*

The Penalty-Barrier Multiplier (PBM) method, originally introduced by R. Polyak and later studied by Ben-Tal and Zibulevsky and others proved to be an efficient tool for solving very large scale optimization problems. The numerical bottleneck of the method (as of similar methods) lies in the repeated solution of a very large linear systems. We will show that for problems resulting from topology optimization of mechanical structures on irregular finite element meshes, algebraic multigrid can be used to solve problems of large dimension, unsolvable by direct methods.

4 - A new stopping criterion for PCG applied in IPM*Filippo Zanetti, Jacek Gondzio*

When Conjugate Gradient Method is used as a linear solver in the Interior Point Method, the attention is usually placed on accelerating its convergence by designing appropriate preconditioners, and the PCG is applied as a black box solver. We design and analyze a new specialized termination criterion for PCG applied in the context of IPMs. The new criterion has been tested on a set of linear and quadratic optimization problems including compressed sensing and image processing and has demonstrated consistent and significant improvements in terms of CG iterations and computational time.

Friday, 14:00 - 15:00**■ FC-01***Friday, 14:00 - 15:00 - Fermat***Plenary 2 - Oliver STEIN**

Stream: Plenary

*Plenary session*Chair: *Giancarlo Bigi***1 - Granularity – a bridge between continuous and discrete optimization***Oliver Stein*

In this talk we sketch the development of the granularity concept in optimization over the past five years. Granularity relaxes the difficulties imposed by integrality conditions and often provides ways for determining good feasible points of mixed-integer optimization problems at low computational cost. Starting from error bound results for roundings in mixed-integer linear optimization, we illustrate how this concept unfolded to provide algorithms for the computation of feasible points in mixed-integer linear, convex and nonconvex optimization. We also comment on the treatment of equality constraints and explain the integration of the granularity idea into branch-and-bound frameworks.

Friday, 15:15 - 16:30

■ FD-01

Friday, 15:15 - 16:30 - Fermat

Derivative-Free Optimization III

Stream: Derivative-Free Optimization

Invited session

Chair: *Youssef Diouane*

1 - Optimization of noisy blackboxes with adaptive precision

Pierre-Yves Bouchet, Charles Audet, Sébastien Le Digabel, Stephane Alarie

In derivative-free optimization, the objective may be evaluated through a computer program which returns a stochastic output with tunable variance. As a low variance leads to an important cost per evaluation, we propose an approach which allows the variance to remain high. Some satisfying results on an industrial problem are given.

2 - A derivative free methods for mixed-integer nonsmooth constrained optimization problems.

Stefano Lucidi, Tommaso Giovannelli, Giampaolo Liuzzi, Francesco Rinaldi

In this paper, we propose new linesearch-based methods for mixed-integer nonsmooth constrained optimization problems when first-order information on the problem functions is not available. First, we describe a general framework for mixed integer bound constrained problems. Then we use an exact penalty approach to tackle the presence of nonlinear (possibly nonsmooth) constraints. We analyze the global convergence properties of all the proposed algorithms toward Clarke stationary points and we report results of a preliminary numerical experience on a set of mixed-integer problems.

3 - A Merit Function Approach for Evolution Strategies

Youssef Diouane

In this talk, we present a class of globally convergent evolution strategies for solving relaxable constrained optimization problems. The proposed framework handles relaxable constraints using a merit function approach combined with a specific restoration procedure. The introduced extension guarantees to the regarded class of evolution strategies global convergence properties for first order stationary constraints. Comparison tests are carried out using two sets of known constrained optimization problems.

■ FD-02

Friday, 15:15 - 16:30 - Turing

Advances in mathematical optimization for machine learning and data analysis - Part III

Stream: Advances in mathematical optimization for machine learning

Invited session

Chair: *Dimitri Papadimitriou*

1 - Mixed integer optimization in ARMA models

Leonardo Di Gangi

Model selection and fitting represent two critical aspects of Auto Regressive Moving Average (ARMA) models. It is proposed an algorithm which performs the selection and estimation of ARMA models as a single optimization routine without any statistical knowledge. The computational core of the algorithm is based on a two-step Gauss-Seidel decomposition scheme, where at each iteration the first step involves the update of the autoregressive and moving average parameters by solving a Mixed Integer Optimization problem and the second step the closed form update of the variance parameter.

2 - Model of Optimal Centroids Approach For Multivariate Data Classification

Pham Van Nha, Le Cam Binh

Particle swarm optimization-PSO is a well-known multidisciplinary optimization algorithm. However, the general mathematical model of PSO has not been presented. In this paper, PSO will be presented as a general mathematical model and applied in multivariate data classification. First, PSO's the general mathematical model is analyzed so that can be applied into complex applications. Then, Model of Optimal Centroids-MOC is proposed for multivariate data classification. Experiments were conducted on some data sets to demonstrate the effectiveness of MOC compared with some proposed algorithms

3 - IGLOO: A stochastic global optimization algorithm to predict the structure of biomolecules adsorbed on metal surfaces

Juan Cortes, Nathalie Tarrat, Christian Schoen

Predicting conformations of molecular systems constitutes a global optimization problem for an appropriate cost (energy) function, where not only the global minimum but also a representative set of local minima is expected as output. Depending on the system size and the complexity of the energy function, solving this optimization problem can be extremely challenging. Our proposed Iterative Global exploration and Local Optimization (IGLOO) algorithm iterates RRT-based sampling, local minimization and clustering, until convergence is achieved. We show its performance in a real application.

■ FD-03

Friday, 15:15 - 16:30 - Nash

Advances in Operator Splitting Techniques

Stream: Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Invited session

Chair: *Mathias Staudigl*

1 - On optimal gradient methods and oracle complexity for smooth (possibly strongly) convex minimization

Adrien Taylor

In this talk, we want to present the (definitely) optimal (black-box) gradient method for smooth strongly convex minimization, which we called the Information-Theoretic Exact Method (ITEM). This method was obtained through semidefinite programming, and we humbly believe it provides some nice insights on the topic of accelerated methods.

On the way, we will discuss the corresponding (matching) lower complexity bounds and a constructive procedure for obtaining them, as well as a few links between accelerated and conjugate gradient methods.

This talk is based on joint works with Yoel Drori.

2 - The sample complexity of level set estimation

François Bachoc, Tommaso Cesari, Sébastien Gerchinovitz

The problem of approximating the level set of a real function f of many real variables arises naturally in many fields, including physics, engineering, and computer science. We investigate the minimum number of evaluations of f needed to output a guaranteed approximation of such level set. We study the general case of Lipschitz functions f as well as other, smaller function spaces. In all the cases we consider, we show that such sample complexity is exponential in the number of variables. Additionally, we provide algorithms and intuitions on how to attain optimal sample complexity rates.

3 - Multi-block Bregman proximal alternating linearized minimization for structured nonsmooth nonconvex problems

Masoud Ahookhosh, Le Thi Khanh Hien, Nicolas Gillis, Panagiotis Patrinos

We introduce BPALM and A-BPALM, two multi-block proximal alternating linearized minimization algorithms using Bregman distances for the sum of a multi-block relatively smooth function and block separable (nonsmooth) nonconvex functions. Our algorithms are globally convergent to critical points of the objective function under KL assumption, and their rate of convergence is studied for Lojasiewicz-type KL functions. We apply this framework to orthogonal nonnegative matrix factorization (ONMF) that satisfies all of our assumptions and the related subproblems are solved in closed forms.

■ FD-05

Friday, 15:15 - 16:30 - Pontryagin

Optimal Control and Optimization in Economics, Finance and Management III

Stream: Optimal Control and Optimization in Economics, Finance and Management

Invited session

Chair: *Diogo Pinheiro*

1 - Stochastic Maximum Principle with Regimes and Memory

Emel Savku, Gerhard-Wilhelm Weber

We study a stochastic optimal control problem for a delayed Markov regime -switching jump-diffusion model. We establish necessary and sufficient maximum principles for such a system. We prove the existence- uniqueness theorem for the adjoint equations, which are represented by an anticipated backward stochastic differential equation with jumps and regimes. We illustrate our results by a problem of optimal consumption problem from a cash flow with delay and regimes.

2 - Portfolio Optimization with Drift Uncertainty

Kerem Ugurlu

We study the utility maximization problem of a portfolio of one risky asset, a stock, and one riskless asset, a bond, under Knightian uncertainty on the drift term representing the long term growth rate of the risky asset. We further assume that the investor has a prior estimate about the drift term, so that we incorporate into the model a penalty term for deviating from the prior about the mean. We provide explicit solutions, when the investor has logarithmic, power and exponential utility functions.

3 - Two-player zero-sum stochastic differential games with Markov-switching jump-diffusion dynamics

Diogo Pinheiro, Miguel Ferreira, Susana Pinheiro

We consider a two-player zero-sum stochastic differential game with Markov-switching jump-diffusion state variable dynamics. We study this game using a combination of dynamic programming and viscosity solution techniques. Under some mild assumptions, we prove that the value of the game exists and is the unique viscosity solution of a certain nonlinear partial integro-differential equation of Hamilton-Jacobi-Bellman-Isaacs type.

■ FD-06

Friday, 15:15 - 16:30 - Moreau

Applications of Optimization IV

Stream: Applications of Optimization

Contributed session

Chair: *Gabriella Colajanni*

1 - Volumetric Uncertainty Bounds and Optimal Configurations for Converging Beam Triple LIDAR*Anthony Brooms, Theodore Holtom*

We consider the problem of forward uncertainty propagation for the converging beam triple LIDAR technology, used for measuring wind velocity passing through a fixed point in space. The size of the volumetric output uncertainty is related to the inverse of the volume of a parallelepiped of unit edge length, delineated by the Doppler LIDAR configuration. Optimal configurations for minimizing output uncertainty are discussed, whilst a grid search procedure for optimizing the value of the parallelepiped volume, subject to LIDAR orientation uncertainty constraints, is presented.

2 - Optimal Incentive in Electric Vehicle Adoption*Giorgio Rizzini*

We study a bilevel model with a policymaker and a population of vehicle owners. The policymaker minimizes a cost function deciding the incentive to encourage the largest possible percentage of the fossil-fueled vehicle owners to buy an electric one. All players care about PM10 concentration. The policymaker imposes a traffic ban if the PM10 concentration exceeds a safety threshold. Traffic bans generate a cost to the owners of a fossil-fueled vehicle. We reduce the initial bilevel formulation to a single level problem, which is solved analytically.

3 - An Optimization Model to manage UAVs in multitiered 5G network slices*Daniele Sciacca, Gabriella Colajanni*

In this paper, we present a three-tier supply chain network model consisting of a fleet of UAVs organized as a FANET managed by a fleet of UAVs controllers, whose purpose is to provide 5G network slices on demand to users and devices on the ground. Our aim is to provide a system optimization perspective for the entire supply chain network, obtaining a constrained optimization problem for which we derive the associated variational inequality formulation. Also, qualitative properties in terms of existence and uniqueness of solution are provided.

Friday, 16:45 - 17:15**■ FE-01***Friday, 16:45 - 17:15 - Fermat***Closing**

Stream: Plenary
Plenary session

Advanced Optimization Methods

Track(s): 4 6

Advances in mathematical optimization for machine learning

Dimitri Papadimitriou
University of Antwerp
papadimitriou.dimitri.be@gmail.com

Track(s): 2

Alternating Direction Method of Multipliers and its Applications

Stefano Cipolla
The University of Edinburgh
scipolla@ed.ac.uk

Jacek Gondzio
University of Edinburgh
j.gondzio@ed.ac.uk

Track(s): 1

Analysis of Non Linear algorithms

Track(s): 1

Applications of Optimization

Track(s): 4 6

Conic Optimization and related topics

Paula Amaral
Universidade Nova de Lisboa
paca@fct.unl.pt

Track(s): 6

Constrained optimization methods and solvers in Julia

Miguel F. Anjos
University of Edinburgh
anjios@stanfordalumni.org

Mathieu Besançon
Zuse Institute Berlin
mathieu.besancon@polymtl.ca

Track(s): 4

Derivative-Free Optimization

Youssef Diouane
ISAE-SUPAERO
youssef.diouane@isae.fr

Sébastien Le Digabel
Polytechnique Montréal
sebastien.le-digabel@polymtl.ca

Massimo Roma
SAPIENZA - Università di Roma
roma@diag.uniroma1.it

Track(s): 1 3 6

Energetic and Environmental Applications of Optimization

Track(s): 4 6

Global Optimization

Track(s): 6

Mathematical Analysis of Optimization Methods

Track(s): 1

Mixed Integer Non Linear Programming

Track(s): 3

Multiobjective Optimization

Gabriele Eichfelder
Technische Universität Ilmenau
Gabriele.Eichfelder@tu-ilmenau.de

Track(s): 4 5

Optimal Control and Applications

Track(s): 3 5

Optimal Control and Optimization in Economics, Finance and Management

Ioannis Baltas
University of the Aegean
jmpaltas@aegean.gr

Diogo Pinheiro
Brooklyn College of the City
University of New York
dpinheiro@brooklyn.cuny.edu

Gerhard-Wilhelm Weber
Poznan University of Technology
gerhard-wilhelm.weber@put.poznan.pl

Track(s): 5

Optimisation in Aerospace Engineering

Annalisa Riccardi
University of Strathclyde
annalisa.riccardi@strath.ac.uk

Richard Epenoy
CNES
Richard.Epenoy@cnes.fr

Edmondo Minisci
University of Strathclyde
edmondo.minisci@strath.ac.uk

Track(s): 4

Optimization and Artificial Intelligence

Track(s): 1 5

Optimization for Air Transportation

Track(s): 1

Optimization under Uncertainty and Applications

Track(s): 4 6

Plenary

Track(s): 1

Polynomial Optimization

Didier Henrion
University of Toulouse
henrion@laas.fr

Milan Korda
LAAS-CNRS
korda@laas.fr

Track(s): 4 5

Sparse and Large-Scale Optimization

Track(s): 1

Variational inequalities, Nash games, game theory, multilevel and dynamic optimization

Giancarlo Bigi
Università di Pisa
giancarlo.bigi@unipi.it

Mathias Staudigl
Maastricht University
mathias.staudigl@gmail.com

Track(s): 3

Session Chair Index

- Amaral, Paula** WF-06
paca@fct.unl.pt
 Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Lisbon, Portugal
- Anjos, Miguel F.** TC-01, WF-04
anjos@stanfordalumni.org
 School of Mathematics, University of Edinburgh, United Kingdom
- Baltas, Ioannis** TD-05
jmpaltas@aegean.gr
 Financial and Management Engineering, University of the Aegean, Chios isl., Greece
- Bastin, Fabian** TE-01
bastin@iro.umontreal.ca
 Computer Science and Operations Research, Université de Montréal, Montreal, Quebec, Canada
- Berahas, Albert** FA-02, TE-02, WF-02
aberahas@umich.edu
 University of Michigan, Ann Arbor, MI, United States
- Bigi, Giancarlo** FC-01, TC-01, WE-01, FB-03
giancarlo.biggi@unipi.it
 Dipartimento di Informatica, Università di Pisa, Pisa, Italy
- Bourguignon, Sebastien** WD-04
Sebastien.Bourguignon@ec-nantes.fr
 Ecole Centrale de Nantes, France
- Cafieri, Sonia** WB-01
sonia.cafieri@enac.fr
 ENAC - Ecole Nationale d'Aviation Civile, Toulouse, France
- Cambini, Riccardo** TE-06
riccardo.cambini@unipi.it
 Department of Economics and Management, University of Pisa, Pisa, Italy
- Casado, Leocadio G.** TB-06
leo@ual.es
 Computer Science, Universidad de Almeria (ceiA3), Almeria, Spain
- Choquet, Catherine** TB-04
catherine.choquet@univ-lr.fr
 Laboratoire MIA, Université de La Rochelle, La Rochelle, France
- Cipolla, Stefano** TA-01
scipolla@ed.ac.uk
 School of Mathematics, The University of Edinburgh, United Kingdom
- Colajanni, Gabriella** FD-06
colajanni@dmi.unict.it
 Department of Mathematics and Computer Science, University of Catania, Catania, Catania, Italy
- Csetnek, Robert** TD-03
ernoerobert.csetnek@univie.ac.at
 University of Vienna, Vienna, Austria
- Daniele, Patrizia** TB-03
daniele@dmi.unict.it
 Department of Mathematics and Computer Science, University of Catania, Catania, Italy
- De Santis, Marianna** FA-04
mdesantis@diag.uniroma1.it
 DIAG, Sapienza, University of Rome, Roma, Italy
- Diouane, Youssef** FD-01
youssef.diouane@isae.fr
 DISC, ISAE-SUPAERO, Toulouse, France
- Eichfelder, Gabriele** FA-04, FB-04, WC-05, WF-05
Gabriele.Eichfelder@tu-ilmenau.de
 Institute of Mathematics, Technische Universität Ilmenau, Ilmenau, Germany
- Elloumi, Sourour** WF-03
sourour.elloumi@ensta-paris.fr
 UMA, ENSTA Paris, Palaiseau, France
- Gerchinovitz, Sébastien** FA-05
sebastien.gerchinovitz@math.univ-toulouse.fr
 Université Toulouse 3 - Paul Sabatier, Toulouse, France
- Gondzio, Jacek** WF-01, FB-06
j.gondzio@ed.ac.uk
 School of Mathematics, University of Edinburgh, Edinburgh, United Kingdom
- Gutiérrez, César** WC-05
cesargv@mat.uva.es
 Departamento de Matemática Aplicada, Universidad de Valladolid, Valladolid, Valladolid, Spain
- Hendrix, Eligius M.T.** TA-04
eligius@uma.es
 Computer Architecture, Universidad de Málaga, Málaga, Spain
- Hien, Le Thi Khanh** WC-02
thikhanhhien.le@umons.ac.be
 Department of Mathematics and Operations Research, University of Mons, Mons, Belgium
- Hiriart-Urruty, Jean-Baptiste** FB-01
jbhu@math.univ-toulouse.fr
 Mathematics, Paul Sabatier University, Toulouse cedex 9, France
- Kocvara, Michal** WC-06
m.kocvara@bham.ac.uk
 School of Mathematics, University of Birmingham, Birmingham, N/A, United Kingdom
- Lopez Redondo, Juana** WD-06
jlredondo@ual.es
 Department of Informatics, University of Almeria, Almeria, Spain
- Müller, David** FA-01

- david.mueller@mathematik.tu-chemnitz.de*
 Economical Mathematics, TU Chemnitz, Chemnitz, Sachsen,
 Germany
- Martens, Björn** FB-05
bjorn.martens@unibw.de
 Institut für Mathematik und Rechneranwendung, Universität
 der Bundeswehr München, Germany
- Minisci, Edmondo** WC-04
edmondo.minisci@strath.ac.uk
 MEchanical and Aerospace Engineering, University of
 Strathclyde, Glasgow, United Kingdom
- Mukhametzhanov, Marat** TE-04
muhametzhanov.m@gmail.com
 DIMES, University of Calabria, Rende, CS, Italy
- Ninin, Jordan** TD-06
jordan.ninin@ensta-bretagne.fr
 ENSTA-Bretagne, Brest, France
- Palagi, Laura** WE-01
palagi@diag.uniroma1.it
 Department of Computer, Control, and Management Engi-
 neering A. Ruberti, Sapienza University of Rome, Rome,
 Italy
- Papadimitriou, Dimitri** . FB-02, FD-02, TA-02, TB-02, TD-02,
 WD-02
papadimitriou.dimitri.be@gmail.com
 Mathematics and Computer Science, University of Antwerp,
 Antwerp, Antwerp, Belgium
- Passacantando, Mauro** FA-03
mauro.passacantando@unipi.it
 Department of Computer Science, University of Pisa, Pisa,
 Italy
- Pinheiro, Diogo** FD-05
dpinheiro@brooklyn.cuny.edu
 Department of Mathematics, Brooklyn College of the City
 University of New York, Brooklyn, NY, United States
- Roma, Massimo** WC-03
roma@diag.uniroma1.it
 Dipartimento di Ingegneria Informatica, Automatica e Ges-
 tionale, SAPIENZA - Università di Roma, ROMA, Italy
- Roosta, Fred** FA-02, TE-02, WF-02
fred.roosta@uq.edu.au
 University of Queensland, Brisbane, Australia
- Royer, Clément** FA-06
clement.royer@dauphine.psl.eu
 LAMSADE, Université Paris Dauphine-PSL, Paris, France
- Schlosser, Corbinian** TD-04
corbinian.schlosser@gmail.com
 LAAS-CNRS, Toulouse, France
- Scrimali, Laura Rosa Maria** WD-03
scrimali@dmi.unict.it
 DMI, Università di Catania, Catania, Italy
- Seidel, Tobias** WC-01
tobias.seidel@itwm.fhg.de
 Optimization, Fraunhofer Institute ITWM, Germany
- Shikhman, Vladimir** WD-01
vladimir.shikhman@mathematik.tu-chemnitz.de
 TU Chemnitz, Germany
- Soubies, Emmanuel** TD-01
emmanuel.soubies@irit.fr
 IRIT, Université de Toulouse, CNRS, Toulouse, France
- Staudigl, Mathias** FD-03, TA-03
mathias.staudigl@gmail.com
 Data Science and Knowledge Engineering, Maastricht Uni-
 versity, Maastricht, Netherlands
- Trafalis, Theodore** TE-03
ttrafalis@ou.edu
 ISE, The University of Oklahoma, Norman, OK, United
 States
- Tyburec, Marek** WD-05
marek.tyburec@fsv.cvut.cz
 Department of Mechanics, Czech Technical University in
 Prague, Faculty of Civil Engineering, Prague 6, Czech Re-
 public
- Vidosavljevic, Andrija** TB-01
andrija.vidosavljevic@enac.fr
 ENAC, France
- Vu, Cong Bang** FB-02, TA-02, TB-02, TD-02
bangcvn@gmail.com
 3NLab, Huawei Belgium Research Center (BeRC), Leuven,
 Belgium, Leuven, Belgium
- Warnow, Leo** FB-04
leo.warnow@tu-ilmenau.de
 TU Ilmenau, Ilmenau, Germany
- Weber, Gerhard-Wilhelm** TE-05
gerhard-wilhelm.weber@put.poznan.pl
 Faculty of Engineering Management, Poznan University of
 Technology, Poznan, Poland

Author Index

- , TA-04, TB-06
- Abbasov, Majid** FB-01
abbasov.majid@gmail.com
Saint Petersburg State University, St. Petersburg, Russia,
Russian Federation
- Abrouki, Younes** TB-04
y.abrouki@um5r.ac.ma
Mohammed V University in Rabat, Faculty of Sciences of
Rabat, Rabat, Morocco, Rabat, Maroc, Morocco
- Acar Ataman, Evrim** TA-01
evrim@simula.no
Simula Metropolitan Center for Digital Engineering, Oslo,
Norway
- Agyekum Oheneba, Godfred** WC-06
godfred.agyekum-oheneba@ifpen.fr
Mechanics of Solids, IFPEN, Rueil-Malmaison, France
- Ahookhosh, Masoud** FD-03
ahoo.math@gmail.com
Department of Mathematics, University of Antwerp,
Antwerp, Belgium
- Alacaoglu, Ahmet** TA-02
ahmet.alacaoglu@epfl.ch
EPFL, Lausanne, Switzerland
- Alarie, Stephane** FD-01
alarie.stephane@ireq.ca
IREQ, Hydro-Quebec, Varennes, Quebec, Canada
- Aldinucci, Tommaso** TE-01
tommaso.aldinucci@unifi.it
Dipartimento di Ingegneria dell'Informazione, Università
Degli Studi di Firenze, Florence, Italy
- Alger, Nick** FA-02
nalger225@gmail.com
Oden Institute for Computational Engineering and Sciences,
The University of Texas at Austin, AUSTIN, TX, United
States
- Almaraj, Ismail** TE-06
almaraj@kfupm.edu.sa
Systems Engineering, King Fahd University of Petroleum and
Minerals, Dhahran, Saudi Arabia
- Almisreb, Ali** TD-01
aalmisreb@ius.edu.ba
Engineering and Natural Sciences, International University of
Sarajevo, Sarajevo, Bosnia and Herzegovina
- Amaral, Paula** WF-06
paca@fct.unl.pt
Faculdade de Ciências e Tecnologia, Universidade Nova de
Lisboa, Caparica, Lisbon, Portugal
- Anjos, Miguel F.** FB-03
anjos@stanfordalumni.org
School of Mathematics, University of Edinburgh, United
Kingdom
- Anouzla, Abdelkader** TB-04
aanouzla@gmail.com
Process Engineering and Environment, University of Hassan
II - Casablanca, FSTM Mohammedia, Morocco, Mohammedia,
Maroc, Morocco
- Antczak, Tadeusz** FB-05
tadeusz.antczak@wmii.uni.lodz.pl
Faculty of Mathematics and Computer Science, University of
Lodz, Lodz, Lodzkie, Poland
- Anton-Sanchez, Laura** TB-06
l.anton@umh.es
Estadística, Matemáticas e Informática, Universidad Miguel
Hernández de Elche, Elche, Spain
- Aragón Artacho, Francisco Javier** FB-02
francisco.aragon@ua.es
Mathematics, University of Alicante, Alicante, Spain
- Arana-Jiménez, Manuel** TD-06
manuel.arana@uca.es
Statistics and Operational Research, University of Cadiz,
Jerez de la Frontera, Cadiz, Spain
- Ararat, Cagin** FB-04
cararat@bilkent.edu.tr
Industrial Engineering, Bilkent University, Ankara, Turkey
- Artigues, Christian** TE-04
artigues@laas.fr
LAAS, CNRS, Toulouse Cedex 4, France
- Aubin, Pierre-Cyril** TE-01
pierre-cyril.aubin@mines-paristech.fr
CAS, MINES ParisTech, France
- Audet, Charles** FD-01
Charles.Audet@gerad.ca
Polytechnique Montreal, Montreal, Qc, Canada
- Aussel, Didier** TA-03
aussel@univ-perp.fr
Lab.PROMES UPR 8521, University of Perpignan, Perpignan,
France
- Bach, Francis** WD-02
francis.bach@inria.fr
INRIA, Paris, France
- Bachoc, François** FD-03
francois.bachoc@math.univ-toulouse.fr
Toulouse Mathematics Institute & University Paul Sabatier,
Toulouse, France
- Baier, Robert** WF-05
robert.baier@uni-bayreuth.de
Department of Mathematics, University of Bayreuth,
Bayreuth, Germany
- Baldi, Lorenzo** TD-04
lorenzo.baldi@inria.fr

- INRIA Sophia Antipolis, Antibes, France
- Baltas, Ioannis** TD-05
jmpaltas@aegean.gr
Financial and Management Engineering, University of the Aegean, Chios isl., Greece
- Barbagallo, Annamaria** TD-05
annamaria.barbagallo@unina.it
Department of Mathematics and Applications "R. Cacciopoli", Università di Naples "Federico II", Napoli, Italy
- Barré, Mathieu** TA-01
mathieu.barre@inria.fr
INRIA, France
- Bartoli, Nathalie** WC-03
nathalie.bartoli@onera.fr
ONERA, TOULOUSE, France
- Bastin, Fabian** TB-01, TE-01, WC-02, TE-05
bastin@iro.umontreal.ca
Computer Science and Operations Research, Université de Montréal, Montreal, Quebec, Canada
- Beldiman, Miruna** WC-01
miruna.m@gmail.com
"Gheorghe Mihoc - Caius Iacob" Institute of Mathematical Statistics and Applied Mathematics of the Romanian Academy, Romania
- Bell, Ian H.** TB-06
ian.bell@nist.gov
Applied Chemicals and Materials Division, National Institute of Standards and Technology, Boulder, Colorado, United States
- Bellavia, Stefania** TE-02
stefania.bellavia@unifi.it
Dipartimento di Ingegneria Industriale, Università di Firenze, Firenze, Italy
- Berahas, Albert** TE-02, WF-02
albertberahas@gmail.com
Industrial and Operations Engineering, University of Michigan, Ann Arbor, MI, United States
- Bergou, El houcine** FA-06
elhoucine.bergou@gmail.com
MaiAGE, INRA, Jouy en Josas, France
- Besançon, Mathieu** FB-03, WF-04
mathieu.besancon@polymtl.ca
Zuse Institute Berlin, Berlin, Germany
- Bigi, Giancarlo** TA-03
giancarlo.biggi@unipi.it
Dipartimento di Informatica, Università di Pisa, Pisa, Italy
- Bollapragada, Raghu** TE-02
Raghu.bollapragada@utexas.edu
Operations Research and Industrial Engineering, The University of Texas at Austin, Austin, TX, United States
- Bolte, Jerome** WC-02
jerome.bolte@ut-capitole.fr
TSE, Toulouse, Not Applicable, France
- Bomze, Immanuel** WF-06
immanuel.bomze@univie.ac.at
Dept. of Statistics and OR, University of Vienna, Vienna, Austria
- Bongartz, Dominik** TB-06
dominik.bongartz@avt.rwth-aachen.de
RWTH Aachen University, Aachen, NRW, Germany
- Bortz, Michael** FA-05
michael.bortz@itwm.fraunhofer.de
Optimization, Fraunhofer ITWM, Kaiserslautern, Deutschland, Germany
- Bouchet, Pierre-Yves** FD-01
pierre-yves.bouchet@polymtl.ca
Mathématiques et Génie Industriel, GERAD, Polytechnique Montréal, Montréal, Québec, Canada
- Bouffard, François** TE-01
francois.bouffard@mcgill.ca
Electrical and Computer Engineering, Mc Gill University, Montreal, Canada
- Boulkhemair, Abdesslam** TE-04
boulkhemair-a@univ-nantes.fr
Laboratoire de Mathématiques Jean Leray, UMR6629 CNRS, UFR - Sciences et Techniques Nantes,, Nantes, France
- Bourguignon, Sebastien** WF-03
Sebastien.Bourguignon@ec-nantes.fr
Ecole Centrale de Nantes, France
- Bouttier, Clément** FA-05
cl.bouttier@gmail.com
Airbus, France
- Boyd, Stephen** TD-02
boyd@stanford.edu
Electrical Engineering, Stanford University, Stanford, CA, United States
- Briceno-Arias, Luis** TD-02
luis.briceno@usm.cl
Matemática, Universidad Técnica Federico Santa María, Santiago, Chile
- Britzelmeier, Andreas** FA-03
andreas.britzelmeier@unibw.de
Aerospace Engineering, Bundeswehr University Munich, Munich, Germany
- Brooms, Anthony** FD-06
a.brooms@bbk.ac.uk
Economics, Mathematics and Statistics, Birkbeck, University of London, London, United Kingdom
- Brotcorne, Luce** FB-03
Luce.Brotcorne@inria.fr
INRIA, Villeneuve d'Ascq, France
- Brune, Alexander** FB-06

- acb795@student.bham.ac.uk*
School of Mathematics, University of Birmingham, Birmingham, United Kingdom
- Bui, Minh** FB-02
mbui@ncsu.edu
Mathematics, North Carolina State University, United States
- Cafieri, Sonia** TB-01
sonia.cafieri@enac.fr
ENAC - Ecole Nationale d'Aviation Civile, Toulouse, France
- Caillau, Jean-Baptiste** WC-04
jean-baptiste.caillau@univ-cotedazur.fr
Université Côte d'Azur, CNRS, Inria, LJAD, France, Nice, France
- Cam Binh, Le** FD-02
cambinhlt@gmail.com
Academy of Science and Technology, Viet Nam
- Cambini, Riccardo** TE-06
riccardo.cambini@unipi.it
Department of Economics and Management, University of Pisa, Pisa, Italy
- Cangemi, Laurent** WC-06
laurent.cangemi@ifpen.fr
IFPEN, Rueil-Malmaison, France
- Cao Van, Kien** TA-03
kien.van@promes.cnrs.fr
ab. PROMES UPR CNRS 8521, University of Perpignan, Perpignan, France
- Cappello, Giorgia** TD-06
giorgia.cappello@unict.it
Mathematics and Computer Science, University of Catania, catania, italy, Italy
- Carderera, Alejandro** WF-04
alejandro.carderera@gatech.edu
ISyE, Georgia Institute of Technology, Atlanta, GA, United States
- Cartis, Coralia** FA-02, TE-02
coralia.cartis@maths.ox.ac.uk
Mathematical Institute, University of Oxford, Oxford, Oxford, United Kingdom
- Caruso, Francesco** FB-03
francesco.caruso@unina.it
Department of Economics and Statistics, University of Naples Federico II, Naples, Italy
- Casado, Leocadio G.** TB-06
leo@ual.es
Computer Science, Universidad de Almeria (ceiA3), Almeria, Spain
- Castera, Camille** WC-02
camille.castera@irit.fr
IRIT, Université de Toulouse, CNRS, Toulouse, France
- Cattaruzza, Diego** FB-03
diego.cattaruzza@centralelille.fr
Centrale Lille, France
- Censor, Yair** FB-02
yair@math.haifa.ac.il
Department of Mathematics, University of Haifa, Haifa, Israel
- Ceparano, Maria Carmela** FB-03
mariacarmela.ceparano@unina.it
Department of Economics and Statistics, University of Naples Federico II, Napoli, NA, Italy
- Cesari, Tommaso** FD-03, FA-05
tommaso.cesari@gmail.com
Aniti & Tse, Toulouse, France
- Cevher, Volkan** TA-02, WD-02
volkan.cevher@epfl.ch
School of Engineering, EPFL, Lausanne, Switzerland
- Chakib, Abdelkrim** TE-04
chakib.fstbm@gmail.com
Laboratoire de Mathématiques et Applications, Faculté des Sciences et Techniques, Béni-Mellal, Beni Mellal, Morocco
- Chambolle, Antonin** TA-01
antonin.chambolle@ceremade.dauphine.fr
CEREMADE, CNRS, Université Paris-Dauphine, PSL, Paris, France
- Chen, Jein-Shan** FA-01
jschen@math.ntnu.edu.tw
Mathematics, National Taiwan Normal University, Taipei, Taiwan is NOT part of China, Taiwan, Province of China
- Choquet, Catherine** TB-04
catherine.choquet@univ-lr.fr
Laboratoire MIA, Université de La Rochelle, La Rochelle, France
- Cipolla, Stefano** WF-01
scipolla@ed.ac.uk
School of Mathematics, The University of Edinburgh, United Kingdom
- Civitelli, Enrico** FA-05
enrico.civitelli@unifi.it
Department of Information Engineering, Università degli Studi di Firenze, Italy
- Clement, Benoit** TB-06
benoit.clement@ensta-bretagne.fr
ENSTA-Bretagne, Brest, France
- Cocchi, Guido** FA-04
guido.cocchi@unifi.it
Dipartimento di Ingegneria dell'Informazione, Florence, Italy
- Coey, Chris** WF-04
coey@mit.edu
Operations Research Center, Massachusetts Institute of Technology, Cambridge, MA, United States
- Cohen, Jeremy** TA-01

- jeremy.cohen@irisa.fr*
Centre de Recherche, INRIA Rennes, Rennes, France, France
- Colajanni, Gabriella** FD-06
colajanni@dmi.unict.it
Department of Mathematics and Computer Science, University of Catania, Catania, Catania, Italy
- Combettes, Patrick** FB-02
plc@math.ncsu.edu
North Carolina State University, United States
- Condat, Laurent** TA-02, TB-02
laurent.condat@kaust.edu.sa
Visual Computing Center, KAUST, Thuwal, Saudi Arabia
- Cortes, Juan** FD-02
juan.cortes@laas.fr
Robotics, LAAS-CNRS, Toulouse, none, France
- Cots, Olivier** WC-04
olivier.cots@toulouse-inp.fr
INP-ENSEEIH, France
- Cristofari, Andrea** FA-06
andrea.cristofari@unipd.it
Department of Mathematics "Tullio Levi-Civita", University of Padua, Padua, Italy
- Cruz, N.c.** WD-06
ncalvocruz@ual.es
Department of Informatics, University of Almeria, Almeria, Andalucia, Spain
- Csetnek, Robert** TB-03
ernoerobert.csetnek@univie.ac.at
University of Vienna, Vienna, Austria
- Curtis, Frank E.** WF-02
frank.e.curtis@gmail.com
Lehigh University, United States
- Custodio, Ana Luisa** FB-04
alcustodio@fct.unl.pt
Dept. Mathematics, Universidade Nova de Lisboa, Caparica, Portugal
- D'Ambrosio, Claudia** TB-01
dambrosio@lix.polytechnique.fr
LIX, CNRS - Ecole Polytechnique, Palaiseau, France
- Daniele, Patrizia** TD-03
daniele@dmi.unict.it
Department of Mathematics and Computer Science, University of Catania, Catania, Italy
- Dantas, Cassio** TD-01
cassiofragadantas@gmail.com
IRIT, Université de Toulouse, CNRS, Toulouse, France
- De Lara, Michel** FB-01
michel.delara@enpc.fr
École des Ponts ParisTech, Marne la Vallée Cedex, France
- De Marchi, Alberto** TA-02
alberto.demarchi@unibw.de
Universität der Bundeswehr München, Neubiberg, Germany
- De Santis, Alberto** WC-03
desantis@diag.uniroma1.it
Sapienza University of Rome, Rome, Italy
- De Santis, Marianna** FA-04
mdesantis@diag.uniroma1.it
DIAG, Sapienza, University of Rome, Roma, Italy
- Delahaye, Daniel** TB-01
delahaye@recherche.enac.fr
French Civil Aviation University, Toulouse, France
- Delmas, Rémi** TB-01
remi.delmas.3000@gmail.com
X-Uber Chair "Integrated Urban Mobility", Palaiseau, France
- Desage, Ysaël** TE-01
Ysael.Desage@me.com
Computer Science & Computer Science and Electrical Engineering, Université de Montréal & McGill University, Otterburn Park, Quebec, Canada
- Di Gangi, Leonardo** FD-02
leonardo.digangi@unifi.it
Department of Information Engineering, University of Florence, Italy
- Dias Garcia, Joaquim** WF-04
kimmlgd@gmail.com
Electrical Engineering, PSR & PUC-Rio, Rio de Janeiro, RJ, Brazil
- Diedhiou, Moussa Mory** TB-04
moussa_mory.diedhiou@univ-lr.fr
Laboratoire MIA, La Rochelle Université, La Rochelle, France
- Diouane, Youssef** FD-01, WC-03, FB-04, FA-06
youssef.diouane@isae.fr
DISC, ISAE-SUPAERO, Toulouse, France
- Doikov, Nikita** WD-01
nikitad101@gmail.com
Université catholique de Louvain (UCL), Belgium
- Dreves, Axel** FA-03
axel.dreves@unibw.de
Fakultät für Luft- und Raumfahrttechnik, Universität der Bundeswehr, München, Germany
- Dubreuil, Sylvain** WC-03
Sylvain.Dubreuil@onera.fr
ONERA, Toulouse, France
- Duguet, Aloïs** TE-04
alois.duguet@laas.fr
Laas-cnrs, Inp, France
- Dvurechensky, Pavel** WD-03
pavel.dvurechensky@wias-berlin.de
Weierstrass Institute for Applied Analysis and Stochastics, Berlin, Berlin, Germany

- Eichfelder, Gabriele** FA-04, FB-04, WC-05, WF-05
Gabriele.Eichfelder@tu-ilmenau.de
 Institute of Mathematics, Technische Universität Ilmenau,
 Ilmenau, Germany
- El Harrab, Mohamed Saâd** TA-04
Mohamed-Saad.EL_HARRAB@mines-paristech.fr
 MINES ParisTech, Paris, France
- Elloumi, Sourour** WF-03
sourour.elloumi@ensta-paris.fr
 UMA, ENSTA Paris, Palaiseau, France
- Emre, Deniz** FA-04
denizemre@bilkent.edu.tr
 Industrial Engineering, Bilkent University, Ankara, Turkey
- Epenoy, Richard** WC-04
Richard.Epenoy@cnes.fr
 DSO/DV/IF, CNES, Toulouse, France
- Faco', João Lauro** WF-03
jldfaco@ufrj.br
 Dept. of Computer Science, Universidade Federal do Rio de
 Janeiro, Rio de Janeiro, RJ, Brazil
- Falbo, Paolo** WD-06
paolo.falbo@unibs.it
 Department of Economics and Management, University of
 Brescia, Brescia Bs, Italy
- Fargetta, Georgia** TD-03
georgia.fargetta@phd.unict.it
 Mathematics and Computer Science, University of Catania,
 Catania, Italy
- Fercoq, Olivier** TA-02
olivier.fercoq@telecom-paristech.fr
 Telecom Paristech University, Paris, France
- Fernández-Reche, J.** WD-06
jesus.fernandez@psa.es
 Plataforma Solar de Almería, Almería, Spain
- Fernandez, Jose** TB-06
josefdez@um.es
 Estadística e Investigación Operativa, Universidad de Mur-
 cia, Espinardo - Murcia, Spain
- Ferreira, Miguel** FD-05
miguelferreira@esht.ipp.pt
 Mathematics, ESHT - Polytechnic Institute of Porto, Vila do
 Conde, Portugal
- Filatovas, Ernestas** WD-04
ernestas.filatovas@mif.vu.lt
 Institute of Data Science and Digital Technologies, Vilnius
 University, Vilnius, Lithuania
- Foare, Marion** TA-02
marion.foare@ens-lyon.fr
 Univ Lyon, Ens de Lyon, Univ Lyon 1, CNRS, INRIA, LIP,
 Lyon, France
- Franci, Barbara** TB-03
b.franci-1@tudelft.nl
 TU Delft, Delft, Netherlands
- Frangioni, Antonio** TB-01
frangio@di.unipi.it
 Dipartimento di Informatica, Università di Pisa, Pisa, Italy
- Fu, Anqi** TD-02
anqif@stanford.edu
 Electrical Engineering, Stanford University, Sunnyvale, CA,
 United States
- Fukuda, Mituhiro** FB-06
mituhiro@ime.usp.br
 Institute of Mathematics and Statistics, University of São
 Paulo, São Paulo, São Paulo, Brazil
- Févotte, Cédric** TD-01, WC-02
cedric.fevotte@irit.fr
 IRIT, Université de Toulouse, CNRS, Toulouse, France
- G.-Tóth, Boglárka** TB-06
boglarka@inf.szte.hu
 Department of Computational Optimization, University of
 Szeged, Szeged, Hungary
- Garmanjani, Rohollah** FB-04
r.garmanjani@fct.unl.pt
 CMA, Universidade NOVA de Lisboa, Portugal
- Garoche, Pierre-loic** TB-01
pierre-loic.garoche@enac.fr
 LII, ENAC, France
- Garzon, Ester M** WD-04
gmartin@ual.es
 Informatics, Almeria University, Almería, Spain
- Gaudioso, Manlio** WE-01
gaudioso@dimes.unical.it
 DIMES, Università della Calabria, Rende, Italy
- Gebken, Bennet** FB-04
bgebken@math.upb.de
 Department of Mathematics, Paderborn University, Germany
- Gendron, Bernard** TB-01
gendron@iro.umontreal.ca
 DIRO/CIRRELT, Université de Montréal, Montréal, Québec,
 Canada
- Gentile, Claudio** TB-01
gentile@iasi.cnr.it
 IASI-CNR, Roma, Italy
- Gerchinovitz, Sébastien** FD-03, FA-05
sebastien.gerchinovitz@math.univ-toulouse.fr
 Université Toulouse 3 - Paul Sabatier, Toulouse, France
- Gerds, Matthias** FB-05
matthias.gerds@unibw.de
 Institut für Mathematik und Rechneranwendung, Universität
 der Bundeswehr München, München, Germany

- Gerlach, Tobias** WF-05
tobias.gerlach@tu-ilmenau.de
 Insitute for Mathematics, TU Ilmenau, Ilmenau, Germany
- Ghaddar, Bissan** TE-06
bghaddar@uwaterloo.ca
 Ivey Business School, Canada
- Ghattas, Omar** FA-02
omar@oden.utexas.edu
 Oden Institute for Computational Engineering and Sciences,
 The University of Texas at Austin, AUSTIN, TX, United States
- Gholami, Amir** WF-02
amirgh@berkeley.edu
 EECS, UC Berkeley, Berkeley, CA, United States
- Gibali, Aviv** FB-02
avivg@braude.ac.il
 Braude College, Karmiel, Israel
- Gillis, Nicolas** WC-02, FD-03
nicolas.gillis@umons.ac.be
 Mathematics and Operational Research, Université de Mons,
 Mons, Belgium
- Giovannelli, Tommaso** FD-01, WC-03
giovannelli@diag.uniroma1.it
 Dipartimento di Ingegneria Informatica, Automatica e Ges-
 tionale "A. Ruberti", SAPIENZA University of Rome, Roma,
 Italy
- Giuffrè, Sofia** FA-03
sofia.giuffre@unirc.it
 D.I.I.E.S., University of Reggio Calabria, Reggio Calabria,
 Italy
- Glineur, François** TA-04
Francois.Glineur@uclouvain.be
 CORE, Université catholique de Louvain (UCLouvain),
 Louvain-la-Neuve, Belgium
- Golbabai, Ahamd** TE-05
golbabai@iust.ac.ir
 Iran University of science and Technology, Tehran, Tehran,
 Iran, Islamic Republic of
- Gondzio, Jacek** WD-01, WF-01, FB-06
j.gondzio@ed.ac.uk
 School of Mathematics, University of Edinburgh, Edinburgh,
 United Kingdom
- González Rodríguez, Brais** TD-04
braisgonzalez.rodriguez@usc.es
 University of Santiago de Compostela, Spain
- González Rueda, Ángel Manuel** TD-04
angelmanuel.gonzalez@usc.es
 Estadística e Investigación Operativa, Universidad de Santi-
 ago de Compostela, Santiago de Compostela, Spain
- González-Díaz, Julio** TD-04
julio.gonzalez@usc.es
 Estadística e Investigación Operativa, Universidad de Santi-
 ago de Compostela, Santiago de Compostela, Spain
- ago de Compostela, Santiago de Compostela, Spain**
- Gossard, Alban** WD-04
alban.paul.gossard@gmail.com
 Mathematics Institute of Toulouse, Toulouse, France
- Goubinat, Damien** TB-01
damien.goubinat@fr.thalesgroup.com
 Thales Avionics, Toulouse, France
- Grammatico, Sergio** TB-03
S.Grammatico@tudelft.nl
 Delft University of Technology, Delft, Netherlands
- Granfeldt, Caroline** WD-06
cargranf@chalmers.se
 Chalmers University of Technology, Sweden
- Groetzner, Patrick** WF-05, 06
patrick.groetzner@math.uni-augsburg.de
 Mathematics, University of Augsburg, Augsburg, Germany
- Gupte, Akshay** FA-01
akshay.gupte@ed.ac.uk
 School of Mathematics, University of Edinburgh, United
 Kingdom
- Gutiérrez, César** WC-05
cesargv@mat.uva.es
 Departamento de Matemática Aplicada, Universidad de Val-
 ladolid, Valladolid, Spain
- Gökmen, Yakup Görkem** WF-06
gorkemgokmen@gmail.com
 Industrial Engineering, Izmir University of Economics, Izmir,
 Turkey
- Habibi, Soodeh** WC-06
S.Habibi@bham.ac.uk
 School of Mathematics, University of Birmingham, Birming-
 ham, United Kingdom
- Halanay, Andrei Dan** WC-01
halanay@fmi.unibuc.ro
 Mathematics, Bucharest University, Romania
- Hamadi, Youssef** TB-01
youssef@lix.polytechnique.fr
 X-Uber Chair "Integrated Urban Mobility", Palaiseau, France
- Hantoute, Abderrahim** FB-01
hantoute@ua.es
 Mathematics, Universidad de Alicante, Alicante, Spain,
 Spain
- Hendrix, Eligius M.T.** TB-06
eligius@uma.es
 Computer Architecture, Universidad de Málaga, Malaga,
 Spain
- Henrion, Didier** TD-04
henrion@laas.fr
 LAAS-CNRS, University of Toulouse, Toulouse, France
- Hernández, Elvira** WC-05

- ehernandez@ind.uned.es*
Matemática Aplicada, Universidad Nacional de Educación a Distancia, Madrid, Spain
- Herraz, Mahfoud** TD-06
mahfoud.herraz@enac.fr
OPTIM, ENAC, France
- Hien, Le Thi Khanh** WC-02, FD-03
thikhanhhien.le@mons.ac.be
Department of Mathematics and Operations Research, University of Mons, Mons, Belgium
- Hiriart-Urruty, Jean-Baptiste** FB-01
jbhu@math.univ-toulouse.fr
Mathematics, Paul Sabatier University, Toulouse cedex 9, France
- Holtom, Theodore** FD-06
theodore.holtom@wind-farm-analytics.co.uk
Wind Farm Analytics Ltd, Glasgow, United Kingdom
- Houssin, Laurent** TE-04
houssin@laas.fr
LAAS-CNRS, France
- Huot-Chantal, Francis** TE-05
francis.huot-chantal@umontreal.ca
Computer Science and Operations Research, Université de Montréal, Montreal, QC, Canada
- Ivanova, Anastasiia** WF-06
anastasiya.s.ivanova@gmail.com
UGA, France
- Jahani, Majid** FA-02
maj316@lehigh.edu
Lehigh University, Bethlehem, United States
- Jayswal, Anurag** FB-05
anurag_jais123@yahoo.com
Applied Mathematics, Indian Institute of Technology (Indian School of Mines), Dhanbad, India, Dhanbad, Jharkhand, India
- Jerhaoui, Othmane** TE-03
othmane.jerhaoui@gmail.com
Mathematics, ENSTA Paris, Palaiseau, France
- Jiang, Xin** WF-01
jiangxjames@ucla.edu
Electrical and Computer Engineering, UCLA, United States
- Jouve, François** WC-06
francois.jouve@u-paris.fr
Laboratoire Jacques-Louis Lions, Université de Paris et Sorbonne Université, Paris, France
- Jungers, Raphaël M.** WD-05
raphael.jungers@uclouvain.be
UCLouvain, Louvain-la-Neuve, Belgium
- Küfer, Karl-Heinz** FA-05
kuefer@itwm.fhg.de
Optimization, Fraunhofer ITWM, Kaiserslautern, Germany
- Kaliszewski, Ignacy** WD-04
ignacy.kaliszewski@ibspan.waw.pl
Systems Research Institute, Warszawa, Poland
- Kapelevich, Lea** WF-04
lkap@mit.edu
ORC, MIT, Cambridge, MA, United States
- Kardam, Preeti** FB-05
preeti.2016dr0083@am.ism.ac.in
Mathematics & Computing, Indian Institute of Technology (ISM) Dhanbad, India, Dhanbad, Jharkhand, India
- Karsu, Ozlem** FA-04
ozlemkarsu@bilkent.edu.tr
Industrial Engineering, Bilkent University, Ankara, Turkey
- Kavand, Arefeh** WC-06
arefe.kavand@gmail.com
Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany
- Kavis, Ali** WD-02
ali.kavis@epfl.ch
EPFL, Lausanne, Switzerland
- Khassiba, Ahmed** TB-01
ahmed.khassiba@outlook.com
Ecole Nationale de l'Aviation Civile, France
- Kocvara, Michal** FB-06, WC-06
m.kocvara@bham.ac.uk
School of Mathematics, University of Birmingham, Birmingham, N/A, United Kingdom
- Korda, Milan** WD-05
korda@laas.fr
LAAS-CNRS, France
- Kovalev, Dmitry** TB-02
dmitry.kovalev@kaust.edu.sa
KAUST, Thuwal, Saudi Arabia
- Krejic, Natasa** TE-02
natasak@uns.ac.rs
Department of Mathematics and Informatics, University of Novi Sad Faculty of Science, Novi Sad, Serbia
- Kružik, Martin** TD-04
kruzik@utia.cas.cz
Department of Physics, Czech Technical University in Prague, Faculty of Civil Engineering, Prague 6, Czech Republic
- Kuefer, Karl-Heinz** WC-01
karl-heinz.kuefer@itwm.fraunhofer.de
Optimization, Fraunhofer ITWM, Kaiserslautern, Germany
- Kungurtsev, Vyacheslav** FA-06
vyacheslav.kungurtsev@fel.cvut.cz
Czech Technical University, Czech Republic
- Kuryatnikova, Olga** TE-06
o.kuryatnikova@tilburguniversity.edu
Tilburg University, Netherlands

- Kyriallidis, Anastasios** WF-02
anastasios@rice.edu
 Computer Science, Rice University, Houston, TX, United States
- Labbé, Martine** WB-01, WF-03
mlabbe@ulb.ac.be
 computer Science, Université Libre de Bruxelles, Bruxelles, Belgium
- Lai Nguyen, Thanh Cong** TA-03
cong.lai@promes.cnrs.fr
 PROMES, Perpignan, France
- Lakhnati, Ghizlane** TE-05
g.lakhnati@uiz.ac.ma
 ENSA-Agadir, Agadir, Morocco
- Lalioui, Hafid** TE-03
hafid.lalioui@edu.uiz.ac.ma
 LISAD, Ibn Zohr University, Morocco, AGADIR, Chtouka Ait Baha, Morocco
- Lampariello, Lorenzo** FB-03, TA-03
lorenzo.lampariello@uniroma3.it
 Roma Tre University, Italy
- Laprés-Chartrand, Jean** WC-02
jean.lapres-chartrand@umontreal.ca
 University of Montreal (UdeM), Montréal, QC, Canada
- Lapucci, Matteo** FA-04–06
matteo.lapucci@unifi.it
 Department of Information Engineering, University of Florence, Firenze, Italy
- Lasserre, Jean Bernard** WD-05
lasserre@laas.fr
 Laas - Cnrs, Toulouse, France
- Laurent, Monique** TC-01
M.Laurent@cwi.nl
 Centrum Wiskunde & Informatica Amsterdam and Tilburg University, Amsterdam, Netherlands
- Le Digabel, Sébastien** FD-01
Sebastien.Le.Digabel@gerad.ca
 Département de mathématiques et génie industriel, École Polytechnique de Montréal, Montréal, Québec, Canada
- Le, Hoang Trieu Vy** TA-02
hoang.le@ens-lyon.fr
 Univ Lyon, Ens de Lyon, Univ Lyon 1, CNRS, Laboratoire de Physique, Lyon, LYON, France
- Lefebvre, Thierry** WC-03
Thierry.Lefebvre@onera.fr
 ONERA, Toulouse, France
- Legat, Benoît** WF-04, WD-05
benoit.legat@uclouvain.be
 INMA, UCLouvain, Louvain-la-Neuve, Brabant-Wallon, Belgium
- Leveque, Santolo** FB-05
s1888324@ed.ac.uk
 School of Mathematics, University of Edinburgh, United Kingdom
- Levy, Kfir** WD-02
kfirlevy@technion.ac.il
 Technion, Haifa, Israel
- Lhoucine, Ben Hssain** TE-05
lhoucine.benhssain@edu.uiz.ac.ma
 Mathématiques Appliquées, ENSA-AGADIR, agadir, Morocco
- Li, Zhi** TB-02
lizhiupc@gmail.com
 East China Normal University, Shanghai, China
- Liuzzi, Giampaolo** FD-01, WD-03
giampaolo.liuzzi@iasi.cnr.it
 Iasi, Cnr, Rome, Italy
- Locatelli, Marco** WD-03
locatell@ce.unipr.it
 Ingegneria dell'Informazione, Università di Parma, Italy
- Loizou, Nicolas** WF-02
nicolasloizou1@gmail.com
 Department of Computer Science and Operations Research, Mila - Quebec Artificial Intelligence Institute & University of Montreal, Montreal, Quebec, Canada
- Lopez Redondo, Juana** WD-04, WD-06
jlredondo@ual.es
 Department of Informatics, University of Almeria, Almeria, Spain
- Lopez, Ruben** WC-05
rlopezm@academicos.uta.cl
 Departamento de Matematica, Universidad de Tarapaca, Arica, Region Arica y Parinacota, Chile
- Loukili, Hayat** TB-04
hayat.loukili@fstm.ac.ma
 University of Hassan II - Casablanca, FSTM Mohammedia, Morocco, Mohammedia, Maroc, Morocco
- Lucidi, Stefano** FD-01, WC-03, WD-03
lucidi@dis.uniroma1.it
 Department of Computer, Control, and Management Science, University of Rome "La Sapienza", Rome, Italy
- Lämmel, Sebastian** TD-01
sebastian.laemmel@mathematik.tu-chemnitz.de
 Mathematics, TU Chemnitz, Chemnitz, Germany
- Müller, David** FA-01
david.mueller@mathematik.tu-chemnitz.de
 Economical Mathematics, TU Chemnitz, Chemnitz, Sachsen, Germany
- Magron, Victor** WD-05
vmagron@laas.fr
 MAC Team, Laas Cnrs, Toulouse, France

- Mahoney, Michael** FA-02
mmahoney@stat.berkeley.edu
 UC Berkeley, Berkeley, CA, United States
- Mai, Ngoc Hoang Anh** WD-05
nhmai@laas.fr
 MAC Group, LAAS-CNRS, Toulouse, Occitan, France
- Mansueto, Pierluigi** FA-04
pierluigi.mansueto@unifi.it
 Department of Information Engineering, University of Florence, Florence, Italy
- Marcianò, Attilio** FA-03
attilio.marciano@unirc.it
 DIIES, Università "Mediterranea" di Reggio Calabria, Italy
- Martens, Björn** FB-05
bjoern.martens@unibw.de
 Institut für Mathematik und Rechneranwendung, Universität der Bundeswehr München, Germany
- Martinon, Pierre** WC-04
pierre.martinon@inria.fr
 INRIA Saclay - CMAP Polytechnique, Paris, France
- Massart, Estelle** TE-02
estelle.massart@maths.ox.ac.uk
 University of Oxford - NPL, United Kingdom
- Messedaglia, Mauro** WC-03
mauro.messedaglia@gmail.com
 ACTOR Spin-Off of SAPIENZA Università di Roma, Roma, Italy
- Messine, Frederic** TB-06
Frederic.Messine@n7.fr
 ENSEEIHT-IRIT, TOULOUSE, France, France
- Milasi, Monica** TD-03
mmilasi@unime.it
 Università degli Studi di Messina, Messina, Italy
- Milzarek, Andre** FA-02
andremilzarek@cuhk.edu.cn
 School of Data Science, The Chinese University of Hong Kong, Shenzhen, Shenzhen, Guangdong, China
- Minisci, Edmondo** WC-04
edmondo.minisci@strath.ac.uk
 MEchanical and Aerospace Engineering, University of Strathclyde, Glasgow, United Kingdom
- Miroforidis, Janusz** WD-04
janusz.miroforidis@ibspan.waw.pl
 Department of Decision Support in the Presence of Risk, Systems Research Institute, Polish Academy of Sciences, Poland
- Mitsos, Alexander** TB-06
amitsos@alum.mit.edu
 RWTH Aachen University, Germany
- Molzahn, Daniel** TE-06
dan.molzahn@gmail.com
 Argonne National Laboratory, Argonne, IL, United States
- Mongeau, Marcel** TB-01, TD-06
marcel.mongeau@enac.fr
 ENAC, Toulouse, France
- Monnet, Dominique** TB-06
dominique.monnet@ls2n.fr
 LS2N, Nantes, France
- Monterreal, R.** WD-06
rmonterreal@psa.es
 Plataforma Solar de Almería, Almería, Spain
- Montoison, Alexis** WF-04
alexis.montoison@polymtl.ca
 Department of Mathematics and Industrial Engineering, Polytechnique Montréal, Montreal, QC, Canada
- Moreno Riado, Juan José** WD-04
juanjomoreno@ual.es
 Universidad de Almería, Spain
- Morgan, Jacqueline** FB-03
morgan@unina.it
 Department of Economics and Statistics & CSEF, University of Naples Federico II, Naples, Italy
- Morini, Benedetta** TE-02
benedetta.morini@unifi.it
 Dipartimento di Ingegneria Industriale, Università di Firenze, Firenze, Italy
- Morlier, Joseph** WC-03
joseph.morlier@isae-supaero.fr
 Université de Toulouse, Institut Clément Ader, CNRS, ISAE-SUPAERO, Toulouse, France
- Mourrain, Bernard** TD-04
bernard.mourrain@inria.fr
 INRIA, Sophia Antipolis, France
- Mukhametzhanov, Marat** TE-04
muhametzhanov.m@gmail.com
 DIMES, University of Calabria, Rende, CS, Italy
- Nagurney, Anna** TD-03
nagurney@isenberg.umass.edu
 Department of Operations and Information Management, University of Massachusetts Amherst, Amherst, Massachusetts, United States
- Najman, Jaromil** TB-06
jaromil.najman@avt.rwth-aachen.de
 Proces Systems Engineering (AVT.SVT), RWTH Aachen University, Aachen, NRW, Germany
- Nakhla, Michel** TA-04
michel.nakhla@mines-paristech.fr
 CGS-I3-MINES-ParisTech-Université ParisSaclay-AgroParisTech, Paris, France
- Nesterov, Yurii** WC-01, WD-01
Yurii.Nesterov@uclouvain.be
 CORE, Université catholique de Louvain (UCL), Louvain-la-neuve, Belgium

- Neumann, Christoph** FB-03
christoph.neumann@kit.edu
 Institute of Operations Research (IOR), Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany
- Ngueveu, Sandra Ulrich** TE-04
ngueveu@laas.fr
 Université de Toulouse, INP, LAAS, Toulouse, France
- Ninin, Jordan** WF-03, TB-06
jordan.ninin@ensta-bretagne.fr
 ENSTA-Bretagne, Brest, France
- O'Leary-Roseberry, Thomas** FA-02
tom.olearyroseberry@utexas.edu
 Oden Institute for Computational Engineering and Sciences, The University of Texas at Austin, Austin, TX, United States
- Ochoa, Gabriela** WC-04
gabriela.ochoa@stir.ac.uk
 University of Stirling, Stirling, United Kingdom
- Ongale-obeyi, Maëva** TB-01
maeongale@hotmail.fr
 Thales AVS / ENAC, Toulouse, France
- Ortigosa, Pilar M.** WD-04, WD-06
ortigosa@ual.es
 Department of Informatics, University of Almería, Almería, Spain
- Orts, R.e.** WD-06
renrique@psa.es
 Plataforma Solar de Almería, Almería, Spain
- Otemissov, Adilet** TE-02
aotemissov@gmail.com
 Mathematical Institute, The University of Oxford and The Alan Turing Institute, Oxford, United Kingdom
- Ourkiya, Nacer** TE-03
nacer.ourkiya@edu.uiz.ac.ma
 LISAD, NSAS, Ibn Zohr, Agadir, OUARZAZATE, Morocco
- Passacantando, Mauro** WD-03
mauro.passacantando@unipi.it
 Department of Computer Science, University of Pisa, Pisa, Italy
- Pateiro-López, Beatriz** TD-04
beatriz.pateiro@usc.es
 Estatística, Análise Matemática e Optimización, University of Santiago de Compostela, Santiago de Compostela, A Coruña, Spain
- Patel, Vivak** WD-02
vivak.patel@wisc.edu
 University of Wisconsin – Madison, United States
- Patrinos, Panagiotis** TD-02, FD-03
panos.patrinis@esat.kuleuven.be
 Electrical Engineering, KU Leuven, Leuven, Belgium
- Pauwels, Edouard** WC-02
edouard.pauwels@irit.fr
 IRIT, Toulouse, France
- Pearson, John** FB-05
j.pearson@ed.ac.uk
 School of Mathematics, University of Edinburgh, United Kingdom
- Pelegrín, Mercedes** TB-01
pelegringarcia@lix.polytechnique.fr
 Laboratoire d'Informatique, École Polytechnique, France
- Peri, Daniele** TE-04
d.peri@iac.cnr.it
 IAC, CNR, Italy
- Phan, Duy Nhat** WC-02
nhatpd@hcmue.edu.vn
 HCMC University of Education, Department of Mathematics and Informatics, Ho Chi Minh, Viet Nam
- Phan, Vuong** TB-03
t.v.phan@soton.ac.uk
 University of Southampton, Southampton, United Kingdom
- Piccialli, Veronica** WD-03
veronica.piccialli@uniroma2.it
 Dipartimento di Ingegneria Civile e Ingegneria Informatica, Università degli Studi di Roma Tor Vergata, Rome, Italy
- Pinar, Mustafa** TE-01
mustafap@bilkent.edu.tr
 Department of Industrial Engineering, Bilkent University, Ankara, Turkey
- Pinheiro, Diogo** FD-05
dpinheiro@brooklyn.cuny.edu
 Department of Mathematics, Brooklyn College of the City University of New York, Brooklyn, NY, United States
- Pinheiro, Susana** FD-05
SCoutopinheiro@qcc.cuny.edu
 Mathematics and Computer Science, Queensborough Community College - CUNY, Bayside, NY, United States
- Ploskas, Nikolaos** FB-06
nploskas@uowm.gr
 Electrical & Computer Engineering, University of Western Macedonia, Greece
- Podkopaev, Dmitry** WD-04
dmitry.podkopaev@gmail.com
 Systems Research Institute of the Polish Academy of Sciences, Warsaw, Poland
- Pokutta, Sebastian** WF-04
sebastian.pokutta@gatech.edu
 Georgia Institute of Technology, Atlanta, United States
- Pougkakiotis, Spyridon** WD-01
s.pougkakiotis@sms.ed.ac.uk
 School of Mathematics, University of Edinburgh, Edinburgh, United Kingdom
- Puertas Martín, Savíns** WD-04

- savinspm@ual.es*
University of Almería, Spain
- Puerto, Justo** WF-03
puerto@us.es
Estadística e I.O., Universidad de Sevilla, Sevilla, Spain
- Pustelnik, Nelly** TA-02
nelly.pustelnik@ens-lyon.fr
Univ Lyon, Ens de Lyon, Univ Lyon 1, CNRS, Laboratoire de Physique, Lyon, Lyon, France
- Pérez-Sánchez, Horacio** WD-04
hperez@ucam.edu
Universidad Católica de Murcia, Murcia, Murcia, Spain
- Quintana, Ernest** WC-05, WF-05
ernest.quintana-aporicio@tu-ilmenau.de
Institute of Mathematics, Technische Universität Ilmenau, Germany
- R Penas, David** TD-04
david.rodriiguez.penas@usc.es
Department of Mathematical Analysis, Statistics and Optimization, University of Santiago de Compostela, Santiago de Compostela, Galicia, Spain
- Rabiei, Nima** TD-01
nrabiei@ius.edu.ba
Engineering and Natural Sciences, International university of Sarajevo (IUS), Sarajevo, Sarajevo, Bosnia and Herzegovina
- Rass, Stefan** WD-03
Stefan.Rass@aau.at
Alpen Adria Universitat, Klagenfurt, Austria
- Redonnet, Jean-Max** TD-06
jean-max.redonnet@univ-tlse3.fr
Université Paul Sabatier, Toulouse, France
- Resende, Mauricio** WF-03
resendem@amazon.com
Middle Mile Transportation Optimization, Amazon.com, Inc., Seattle, Washington, United States
- Riccardi, Rossana** TE-06
rossana.riccardi@unibs.it
Economics and Management, University of Brescia, Brescia, Italy
- Ricci, Jacopo Maria** FB-03
jacopomaria.ricci@uniroma3.it
Economia Aziendale, Università degli Studi Roma Tre, Rome, Italy, Italy
- Ricciotti, Elisa** FB-04
elisa.ricciotti@unifi.it
Dipartimento di Matematica e Informatica Ulisse Dini, University of Florence, Italy
- Richtarik, Peter** FA-02, TA-02, TB-02
richtarik@gmail.com
Computer Science, KAUST, Thuwal, Saudi Arabia
- Riesussec, Jeremy** WC-02
jeremy.riussec@gmail.com
Département d'Informatique et de Recherche Opérationnelle (DIRO), Université de Montréal, Montréal, QC, Canada
- Rinaldi, Francesco** FD-01, WD-03, FA-06
rinaldi@math.unipd.it
Dipartimento di Matematica "Tullio Levi-Civita", Università di Padova, Italy
- Rizzini, Giorgio** FD-06
giorgio.rizzini@unibs.it
Department of Economics and Management, University of Brescia, Brescia Bs, Italy
- Roberts, Lindon** FA-02
lindon.roberts@anu.edu.au
Australian National University, Australia
- Rocktäschel, Stefan** WC-05
stefan.rocktaeschel@tu-ilmenau.de
Technische Universität Ilmenau, Ilmenau, Germany
- Rodomanov, Anton** WC-01
anton.rodomanov@uclouvain.be
ICTEAM, Université catholique de Louvain (UCL), Louvain-la-Neuve, Select, Belgium
- Rodriguez Martinez, Diego** TD-04
diego.rodriguez@usc.es
University of Santiago de Compostela, Spain
- Rodríguez-Madrena, Moisés** WF-03
mrodriguez92@us.es
Departamento de Estadística e Investigación Operativa / IMUS, Universidad de Sevilla, Sevilla, Spain
- Roland, Marius** TB-04
mmmroland@gmail.com
Trier University, Germany
- Roldán, Fernando** TD-02
fernando.rolan@usm.cl
Universidad Técnica Federico Santa María, Santiago, Chile
- Roma, Massimo** WC-03
roma@diag.uniroma1.it
Dipartimento di Ingegneria Informatica, Automatica e Gestionale, SAPIENZA - Università di Roma, ROMA, Italy
- Romain, Manon** WD-02
manon.romain@ens.fr
CNRS, ENS Ulm & Inria, Paris, France
- Roosta, Fred** TE-02
fred.roosta@uq.edu.au
University of Queensland, Brisbane, Australia
- Royer, Clément** FA-06
clement.royer@dauphine.psl.eu
LAMSADE, Université Paris Dauphine-PSL, Paris, France
- Rusakov, Sergey** FA-02
ser318@lehig.edu
Lehigh University, Bethlehem, PA, United States

- Sadik, Azeddine** TE-04
sadik.ufrnantes@gmail.com
 Mathematics, Jean Leray Mathematics Lab, Nantes, France
- Saeedi, Ahmad** TE-05
asaedi@outlook.com
 Mathematics, Iran University of Science and Technology,
 Iran, Islamic Republic of
- Sagratella, Simone** FB-03, TA-03
sagratella@dis.uniroma1.it
 Ingegneria informatica automatica e gestionale A. Ruberti,
 La Sapienza Università di Roma, Roma, Italy
- Sahin, Mehmet Fatih** TB-02
mehmet.sahin@epfl.ch
 School of Computer and Communication Sciences, EPFL,
 Lausanne, Switzerland
- Salas, David** TA-03
david.salas@uoh.cl
 Instituto de Ciencias de la Ingeniería, Universidad de
 O'Higgins, Rancagua, Chile
- Salim, Adil** TA-02, TB-02
asalim.math@gmail.com
 Kaust, Abudabi, Saudi Arabia
- Samain, Gwenaël** WF-03
gwenael.samain@ls2n.fr
 LS2N, France
- Sass, Susanne** TB-06
susanne.sass@avt.rwth-aachen.de
 RWTH Aachen University, Germany
- Savku, Emel** FD-05, TD-05
esavku@gmail.com
 Department of Mathematics, University of Oslo, Oslo, –
 Select state–, Norway
- Sbihi, Mohammed** TD-06
sbihi@recherche.enac.fr
 Ecole Nationale de l'Aviation Civile, toulouse, France
- Schenker, Carla** TA-01
carla@simula.no
 Simula Metropolitan Center for Digital Engineering, Norway
- Schlosser, Corbinian** WD-05
corbinian.schlosser@gmail.com
 LAAS-CNRS, Toulouse, France
- Schmidt, Martin** TB-04
martin.schmidt@uni-trier.de
 Department of Mathematics, Trier University, Trier, Germany
- Schoen, Christian** FD-02
schoen@fkf.mpg.de
 Max-Planck-Institute for Solid State Research, Stuttgart, Ger-
 many
- Schoen, Fabio** FA-05
fabio.schoen@unifi.it
 Dipartimento di Ingegneria dell'Informazione, Università
 degli Studi di Firenze, Firenze, Italy
- Schwientek, Jan** FA-05
Jan.Schwientek@itwm.fraunhofer.de
 Optimization, Fraunhofer ITWM, Kaiserslautern, Rhineland-
 Palatinate, Germany
- Sciacca, Daniele** FD-06
daniele.sciacca@unipa.it
 Department of Mathematics and Computer Science, Univer-
 sity of Catania, Catania, Catania, Italy
- Sciandrone, Marco** FA-06
sciandro@dsi.unifi.it
 Dipartimento di Ingegneria dell'Informazione, Università di
 Firenze, Firenze, Italy, Italy
- Scopelliti, Domenico** TD-03
domenico.scopelliti@unipv.it
 Università di Pavia, Italy
- Scrimali, Laura Rosa Maria** TD-03
scrimali@dm.unict.it
 DMI, Università di Catania, Catania, Italy
- Seidel, Tobias** WC-01, FA-05
tobias.seidel@itwm.fhg.de
 Optimization, Fraunhofer Institute ITWM, Germany
- Sergeyev, Yaroslav** TE-04
yaro@dimes.unical.it
 DIMES, University of Calabria, Rende (CS), Italy
- Seufert, Philipp** FA-05
philipp.seufert@itwm.fraunhofer.de
 Optimization, Fraunhofer ITWM, Kaiserslautern, Germany
- Sharma, Akshay** WF-04
akshay.sharma.mat16@iitbhu.ac.in
 Mathematics And Computing, IIT BHU Varanasi, Delhi
 North, Delhi, India
- Sharma, Pradeep Kumar** FA-01
sharmapradeepmsc@gmail.com
 Mathematics, University of Delhi, Delhi, Delhi, India
- Shi, Zheng** FA-02
shi.zheng.tfls@gmail.com
 Lehigh University, Bethlehem, PA, United States
- Shi-Garrier, Loïc** WC-02
loic.shi-garrier@alumni.enac.fr
 Ecole Nationale de l'Aviation Civile (ENAC), Toulouse,
 France
- Shikhman, Vladimir** WD-01
vladimir.shikhman@mathematik.tu-chemnitz.de
 TU Chemnitz, Germany
- Silva, Ricardo** WF-03
rmas@cin.ufpe.br
 Centro de Informatica, Universidade Federal de Pernambuco,
 Recife, Pernambuco, Brazil
- Sohab, Oumaima** TE-02

- ous219@lehigh.edu*
Lehigh University, Bethlehem, United States
- Sonja, Steffensen** FA-03
steffensen@igpm.rwth-aachen.de
RWTH Aachen University, Aachen, Germany
- Sortino, Alessio** FA-05
alessio.sortino@unifi.it
Department of Information Engineering, University of Florence, Florence, Italy
- Soubies, Emmanuel** TD-01
emmanuel.soubies@irit.fr
IRIT, Université de Toulouse, CNRS, Toulouse, France
- Spencer Trindade, Renan** TB-01
rst@lix.polytechnique.fr
Lix, Cnrs, École Polytechnique, Palaiseau, Île-de-France, France
- Staudigl, Mathias** TB-03
mathias.staudigl@gmail.com
Data Science and Knowledge Engineering, Maastricht University, Maastricht, Netherlands
- Stein, Oliver** FC-01, FB-03, WF-05
stein@kit.edu
Institute of Operations Research, Karlsruhe Institute of Technology, Karlsruhe, Germany
- Stella, Lorenzo** TD-02
lorenzostella@gmail.com
Amazon, Berlin, Germany
- Sun, Wei** TE-03
wsun@ou.edu
University of Oklahoma, Norman, OK, United States
- Sun, Yifan** TB-02
yifan.0.sun@gmail.com
INRIA-Paris, France
- Suvak, Zeynep** FB-03
zeynep.arслан@boun.edu.tr
Industrial Engineering, Bogazici University, Istanbul, Turkey
- Szabó, Zoltán** TE-01
zoltan.szabo@polytechnique.edu
CMAP, Ecole polytechnique, Palaiseau, France, France
- Taccari, Leonardo** FA-05
leonardo.taccari@gmail.com
Fleetmatics Research, Italy
- Takac, Martin** FA-02
martin.taki@gmail.com
Lehigh University, United States
- Takahashi, Shota** FB-06
takahashi.shota@ism.ac.jp
the Graduate University for Advanced Studies, Japan
- Tam, Matthew** FB-02
matthew.tam@unimelb.edu.au
University of Melbourne, Australia
- Tanaka, Mirai** FB-06
mirai@ism.ac.jp
Department of Mathematical Analysis and Statistical Inference, The Institute of Statistical Mathematics, Tachikawa, Tokyo, Japan
- Tang, Yuchao** FB-02
yctang@ncu.edu.cn
Nangchang University, Nangchang, China
- Tanneau, Mathieu** WF-04
mathieu.tanneau@polymtl.ca
Polytechnique Montreal, Canada
- Tarrat, Nathalie** FD-02
nathalie.tarrat@cemes.fr
CEMES, CNRS, Toulouse, France
- Taylor, Adrien** TA-01, FD-03
adrien.taylor@inria.fr
Inria/ENS, France
- Thünen, Anna** TA-03
thuenen@igpm.rwth-aachen.de
Mathematics, Rwth Aachen, Aachen, Germany
- Themelis, Andreas** TD-02
andreas.themelis@imtlucca.it
IMT School for Advanced Studies Lucca, Lucca, Italy
- Toh, Kim-Chuan** WF-01
mattohhc@nus.edu.sg
Mathematics, National University of Singapore, Singapore, Choose State/Province, Singapore
- Trafalis, Theodore** TE-03, TE-06
trafalis@ou.edu
ISE, The University of Oklahoma, Norman, OK, United States
- Tsoukalas, Angelos** TB-06
tsoukalas@rsm.nl
Department of Technology and Operations Management, Rotterdam School of Management (RSM), Rotterdam, Netherlands
- Tyburec, Marek** TD-04
marek.tyburec@fsv.cvut.cz
Department of Mechanics, Czech Technical University in Prague, Faculty of Civil Engineering, Prague 6, Czech Republic
- Ugurlu, Kerem** FD-05
keremugurlu@gmail.com
Mathematics, Nazarbayev University, Kazakhstan
- Ulus, Firdevs** FA-04, FB-04
firdevs@bilkent.edu.tr
Industrial Engineering, Bilkent University, Ankara, Turkey
- Umer, Muhammad** FB-04
muhammad.umer@bilkent.edu.tr
Industrial Engineering Department, Bilkent University,

- Ankara, Turkey
- Vakili, Sattar** WC-03
sv388@cornell.edu
Prowler.io, United Kingdom
- Van Dessel, Guillaume** TA-04
guiomvds3@gmail.com
Mathematical Engineering, UCLouvain, Overijse, Belgium
- Van Nha, Pham** FD-02
famvannha@gmail.com
Academy of Science and Technology, Viet Nam
- Vandenbergh, Lieven** WF-01
vandenbe@ee.ucla.edu
Electrical Engineering, UCLA, Los Angeles, California,
United States
- Verchère, Mathieu** WF-03
mathieu.verchere@ensta-paris.fr
UMA, ENSTA Paris, France
- Vicente, Luis Nunes** TE-02
lnv@mat.uc.pt
University of Coimbra, Coimbra, Portugal
- Vieira, Alexandre** FB-05
alexandre.vieira@univ-pau.fr
University of Reunion Island, France
- Vielma, Juan Pablo** WF-04
jvielma@mit.edu
MIT, Cambridge, MA, United States
- Warnow, Leo** FB-04
leo.warnow@tu-ilmenau.de
TU Ilmenau, Ilmenau, Germany
- Weber, Gerhard-Wilhelm** FD-05, TD-05
gerhard-wilhelm.weber@put.poznan.pl
Faculty of Engineering Management, Poznan University of
Technology, Poznan, Poland
- Weiss, Pierre** WD-04
pierre.armand.weiss@gmail.com
Mathematics Institute of Toulouse, Toulouse, France
- Wen, Zaiwen** FA-02
wenzw@pku.edu.cn
Peking University, China
- Werner, Ralf** WF-05
ralf.werner@math.uni-augsburg.de
University of Augsburg, Augsburg, Germany
- Wiecek, Margaret** FA-04
wmalgor@clemson.edu
School of Mathematical and Statistical Sciences, Clemson
University, Clemson, SC, United States
- Yan, Ming** TB-02
yanm@msu.edu
Michigan State University, Michigan, United States
- Yang, Minghan** FA-02
yangminghan@pku.edu.cn
Beijing International Center for Mathematical Research,
Peking University, Beijing, China
- Yannacopoulos, Athanasios** TD-05
ayannaco@aueb.gr
Athens University of Economics and Business, Athens,
Greece
- Ye, Yinyu** WF-01
yyye@stanford.edu
Stanford University, Professor, United States, United States
- Yergeau, Gabriel** TE-05
gabriel.yergeau@hec.ca
HEC Montréal, Montreal, QC, Canada
- Yildirim, E. Alper** WF-06
eayildirim@gmail.com
School of Mathematics, The University of Edinburgh, Edin-
burgh, United Kingdom
- Yuan, Xiaoming** TA-01
xmyuan@gmail.com
Department of Mathematics, The University of Hong Kong,
Hong Kong
- Zaffaroni, Alberto** FB-01
alberto.zaffaroni@unimore.it
Dipartimento di Economia, Università di Modena, Italy
- Zanetti, Filippo** FB-06
f.zanetti@sms.ed.ac.uk
School of Mathematics, University of Edinburgh, Edinburgh,
United Kingdom
- Zeman, Jan** TD-04
Jan.Zeman@cvut.cz
Department of Mechanics, Czech Technical University in
Prague, Prague 6, Czech Republic
- Zhang, Junzi** TD-02
junziz@stanford.edu
Institute for Computational & Mathematical Engineering
(ICME), Stanford University, Stanford, CA, United States
- Zhang, Tong** FA-02
tongzhang@tongzhang-ml.org
Hong Kong University of Science and Technology, Hong
Kong, Hong Kong
- Zhu, Jia-Jie** TA-04
zplusj@gmail.com
Empirical Inference Department, Max Planck Institute for
Intelligent Systems, Tübingen, BW, Germany
- de Gournay, Frédéric** WD-04
degourna@insa-toulouse.fr
Mathematics Institute of Toulouse, Toulouse, France

Wednesday, 8:30 - 9:00

WA-01: Opening (Fermat)	1
-------------------------------	---

Wednesday, 9:00 - 10:00

WB-01: Plenary - Martine LABBE (Fermat)	1
---	---

Wednesday, 10:15 - 11:30

WC-01: Analysis of Non Linear Algorithms I (Fermat)	2
WC-02: Advances in mathematical optimization for machine learning and data analysis - Part I (Turing)	2
WC-03: Derivative-Free Optimization I (Nash)	3
WC-04: Optimisation in Aerospace Engineering (Lagrange)	3
WC-05: Variational Methods in Vector and Set Optimization (Pontryagin)	3
WC-06: Applications of Optimization I (Moreau)	4

Wednesday, 11:45 - 13:00

WD-01: Analysis of Non Linear Algorithms II (Fermat)	5
WD-02: Advances in mathematical optimization for machine learning and data analysis - Part II (Turing)	5
WD-03: Interfaces between Optimization and Game Theory (Nash)	6
WD-04: Applications of Optimization II (Lagrange)	6
WD-05: Polynomial Optimization I (Pontryagin)	6
WD-06: Energetic and Environmental Applications of Optimization I (Moreau)	7

Wednesday, 14:30 - 15:30

WE-01: EUROPT Fellow 2020 Lecture (Fermat)	8
--	---

Wednesday, 15:45 - 17:30

WF-01: ADMM, block variants and proximality (Fermat)	9
WF-02: Beyond First-order Optimization Methods for Machine Learning - Part I (Turing)	9
WF-03: Mixed Integer Non Linear Programming (Nash)	10
WF-04: Constrained optimization methods and solvers in Julia (Lagrange)	10
WF-05: Multiobjective Optimization: Uncertainty and Nonconvexity (Pontryagin)	11
WF-06: Conic Optimization and related topics (Moreau)	12

Thursday, 9:00 - 10:40

TA-01: Non-smoothness, inexactness and applications (Fermat)	13
--	----

TA-02: Nonlinear Composite and Constrained Optimization - Part I (Turing)	13
TA-03: Game theory, multilevel and dynamic optimization I (Nash)	14
TA-04: Optimization under Uncertainty and Applications I (Lagrange)	14

Thursday, 11:00 - 12:40

TB-01: Optimization for Air Transportation (Fermat)	16
TB-02: Nonlinear Composite and Constrained Optimization - Part II (Turing)	16
TB-03: Solution Techniques for Variational Inequalities (Nash)	17
TB-04: Energetic and Environmental Applications of Optimization II (Lagrange)	17
TB-06: Global Optimization (Moreau)	18

Thursday, 14:00 - 15:00

TC-01: EUROPT Fellow 2021 Lecture (Fermat)	19
--	----

Thursday, 15:15 - 16:30

TD-01: Sparse and Large-Scale Optimization (Fermat)	20
TD-02: Advances in Douglas-Rachford method - Part I (Turing)	20
TD-03: Advances in Variational Inequalities and Equilibrium Problems (Nash)	21
TD-04: Polynomial Optimization II (Lagrange)	21
TD-05: Optimal Control and Optimization in Economics, Finance and Management I (Pontryagin)	21
TD-06: Applications of Optimization III (Moreau)	22

Thursday, 16:50 - 18:30

TE-01: Optimization and Artificial Intelligence I (Fermat)	23
TE-02: Beyond First-order Optimization Methods for Machine Learning - Part II (Turing)	23
TE-03: Optimal Control and Applications I (Nash)	24
TE-04: Advanced Optimization Methods I (Lagrange)	24
TE-05: Optimal Control and Optimization in Economics, Finance and Management II (Pontryagin)	25
TE-06: Optimization under Uncertainty and Applications II (Moreau)	25

Friday, 9:00 - 10:40

FA-01: Mathematical Analysis of Optimization Methods I (Fermat)	27
FA-02: Beyond First-order Optimization Methods for Machine Learning - Part III (Turing)	27
FA-03: Equilibria, variational models and applications (Nash)	28
FA-04: Multiobjective Mixed Integer Optimization (Lagrange)	28
FA-05: Optimization and Artificial Intelligence II (Pontryagin)	29
FA-06: Derivative-Free Optimization II (Moreau)	29

Friday, 11:00 - 12:40

FB-01: Mathematical Analysis of Optimization Methods II (Fermat)	31
FB-02: Advances in Douglas-Rachford method - Part II (Turing)	31

FB-03: Game theory, multilevel and dynamic optimization II (Nash)	32
FB-04: Numerical Methods for Multiobjective Optimization (Lagrange)	32
FB-05: Optimal Control and Applications II (Pontryagin)	33
FB-06: Advanced Optimization Methods II (Moreau)	33

Friday, 14:00 - 15:00

FC-01: Plenary 2 - Oliver STEIN (Fermat)	34
--	----

Friday, 15:15 - 16:30

FD-01: Derivative-Free Optimization III (Fermat)	35
FD-02: Advances in mathematical optimization for machine learning and data analysis - Part III (Turing)	35
FD-03: Advances in Operator Splitting Techniques (Nash)	36
FD-05: Optimal Control and Optimization in Economics, Finance and Management III (Pontryagin)	36
FD-06: Applications of Optimization IV (Moreau)	36

Friday, 16:45 - 17:15

FE-01: Closing (Fermat)	37
-------------------------------	----